KOHLER KOHLER




Digitized by


The Association for Preservation Technology International

For the

Building Technology Heritage Library

http://archive.org/details/buildingtechnologyheritagelibrary







Founded 1873 by John M. Kohler

KOHLER

Enameled Plumbing Ware—Catalog F



KOHLER OF KOHLER

Kohler Co., Founded 1873, Kohler, Wisconsin . Shipping Point, Sheboygan, Wisconsin B R A N C H E S I N P R I N C I P A L C I T I E S



Works and General Offices of Kohle



Entrance to the Works



er Co., located at Kohler, Wis., U.S.A.



Detail of American Club



The Mark of Kohler Quality

The name Kohler, in dainty blue letters, is inconspicuously but permanently fused into the enamel of every Kohler fixture—a modest symbol of quality and an unfailing assurance of worth



Kohler Quality

KOHLER QUALITY is a definite and accepted fact not only with the Plumbing Trade and among Architects but in the preferences of countless thousands of discriminating people.

Quality can scarcely be catalogued—unlike the shapes, contours, and specifications of fixtures, it is not easy to picture or to set forth in type. It is evidenced rather by the integrity and competence of the organization, and by Reputation—public acceptance of the product over a long period of time.

Throughout a long history the guiding purpose of the Kohler organization has been to manufacture products of unusual excellence.

In carrying out this idea no exceptions are tolerated. Accordingly, Kohler Enameled Plumbing Ware is sold in one quality only—and that the best. Fixtures vary in size and elaborateness and hence in price; but the materials used, the equipment, the processes, and the workmanship are exactly the same in all Kohler fixtures.

The result has been an unmistakably emphatic public indorsement. A list of Kohler installations would very nearly constitute a Blue Book of America's finest hotels, institutions, and homes. At the same time, it is a significant fact that the quality market does not consist of merely a small group. The world's progress in taste and in observance of the laws of hygiene has enormously increased the demand for good fixtures, and has made it possible to have economical production in large volume.

Highest Grade Basic Materials

The bath tub, lavatory and sink are necessary furnishings in every modern home. For these white enameled iron has established itself as the most popular and satisfactory material, and the material best adapted to successful manufacture.

The widespread preference for enameled iron fixtures is due largely to a Kohler achievement—the discovery of means of making every fixture pure white, not near-white. The Kohler enamel in addition is exceptionally hard and smooth. Kohler fixtures, with their enduring lustre, present an inviting cleanliness and are easy to *keep* clean.



The chemical laboratory where materials for Kohler Ware are tested .

The materials entering into the Kohler enamel are somewhat more expensive than ordinary, but the satisfaction thus insured the user more than justifies the cost. And bear in mind that the price of Kohler fixtures is no higher than is charged for less finished, less beautiful, and less durable products.

Every material entering into Kohler Ware is of a similar high grade. The iron, for example, is selected and mingled so as to be of exactly the right chemical formula, as determined by the Kohler laboratories, for the best castings for enameling.

Technique of Construction

The most notable development in the manufacture of plumbing fixtures and in the commercial use of enamel has occurred in

comparatively recent times, and much of this progress is practically the history of Kohler of Kohler.

A foremost development has been in the manufacture of all-over enameled, one-piece, built-in baths, of the type of the Kohler "Viceroy" and "Imperator." In simple beauty of line, in the promotion of hygiene through eliminating crevices and flutings, in the clean and shimmering blanketing of pure white enamel, and in such practical advantages as the



Pouring molten iron into a bath tub mold



The Kohler enamel in the form of a white impalpable powder is sifted on the hot casting and fused at a high temperature

heat-retaining air space underneath the apron, this type of bath, originated at Kohler, stands as one of the great forward steps of the age. Not only does it excel in its satisfying beauty of appearance, but it is more convenient to use, easier to keep clean, more hygienic than any other type of bath ever devised.

And this is but a single example of the fruitful labors of the Kohler research department, where every detail of pattern and construction, every consideration of beauty, utility, and durability is studied with the single view of making Kohler products the finest and most serviceable that can be obtained.

Modern Processes of Manufacture

All Kohler products are made in one great factory, located at Kohler, Wisconsin. This fact insures uniformity of method and process and uniformity of excellence.

The Kohler factory is one of the finest and best equipped in the country. It combines the advantages of modern power equipment for heavy tasks and the proud skill of highly trained workmen in processes, like enameling, where competent personal attention is required.

Back-breaking labor has been eliminated to a great extent, and with the aid of mechanical power the Kohler workman is a directing intelligence wielding forces that lift, shove, grind, and perform a multitude of other tasks. Mechanical stokers, electric cranes, compressed air lifts, overhead and floor conveyors, and many other mechanical aids are utilized to secure efficient, and speedy, production.



Expert inspectors minutely examine every Kohler fixture

Typical of the equipment are the many molding machines in use. With their aid the greatest uniformity in castings is made possible and the cost of making them is reduced to a minimum.

At every step in manufacture the product is under the watchful eye of inspectors and must conform to the Kohler standard of quality. Any piece that does not meet the requirements of first quality is broken up and treated simply as raw material to be again melted in the cupolas.

Fixtures passing final inspection are identified not only by the blue and gold label reproduced below, but since this might be removed, they have the trade-mark Kohler permanently fused into the enamel, an inconspicuous but permanent identification and mark of responsibility.



The Kohler Organization

Kohler Ware is manufactured by a group of people possessing not only high individual skill but also a rare spirit of co-operation. The organization is closely knit together. The larger number of its members have worked together a long time, many of them for years. This fact both attests their interest in their work and associations, and indicates an important reason for their efficient teamwork.

The Kohler community and factory have become known far and wide for the happy conditions that prevail. This refers not only to facilities for productive work, but to provision for health and safety, individual prosperity, and recreation. The pleasant environment and relations that exist are favorable to the most efficient productive work.



The American Club at Kohler

Kohler Village

A PRODUCT usually reflects the character of the people who make it. An index to the character of the people in the Kohler organization can most quickly be had by a glimpse of their homes and their civic achievements.

The village of Kohler is outwardly beautiful and modern. Every street is paved and well lighted, modern utilities are universally in use, and every home presents an aspect of cleanliness, taste, and comfort. Civic progressiveness is apparent in a beautiful public school, fine parks, and a commodious Nature Theatre that has few rivals in attractiveness.


The American Club, maintained by the company as a home for single men of the organization, a dining hall for everybody,



The Kohler Nature Theatre



A representative group of homes



The public school at Kohler

and a center of recreation, is a commodious and beautiful Gothic building, an ornament to the community as well as a useful institution. It provides splendid accommodations to workmen at moderate cost, besides serving other useful purposes.

Practically every family in the village owns its home, an important indication of the high character of the people.

Of more interest, perhaps, than even the finest streets, parks, and buildings, is the fact that the people of Kohler, through their elected officers and village government, have for some years been building up the community according to a comprehensive Village Plan. Zones have been established for industry, business, and residences. The need for new streets, parks, playgrounds, and other public places has been forseen and provided for. Beauty, education, and recreation, as well as utility, have been considered.

These are the people who make up the Kohler organization—people with vision, purpose, resourcefulness and readiness to cooperate. Their character underlies the character of Kohler products.



 $\begin{tabular}{ll} \it{The~emblem~of~the~Village~of~Kohler} \\ \it{(Used~by~the~Kohler~Co.~by~permission~of~the~Village~Government)} \\ \end{tabular}$

Enlarging the Market for Kohler Quality Products

THE Kohler policy is a protection to every one selling or using Kohler products, since it is an assurance of the highest grade of goods.


For those handling Kohler Ware there is an additional and powerful influence at work making the name and the product known, and suggesting its value and its uses. That influence is Kohler national advertising, which is constantly enlarging the market. It is at the same time a perpetually renewed pledge of the faith and reputation of the company, backing up the integrity and value of every piece of Kohler Ware.

Kohler Automatic Power and Light


A NEWER product of the Kohler organization, but one worthy to rank with Kohler Ware, is the Kohler Automatic Power and Light 110 Volt D. C. This is a wonderful little electric generating unit consisting of a gasoline engine directly connected with an electric generator. It has no storage batteries for power or light—simply a little starting battery to turn over the engine. It furnishes standard 110 volt current direct from the generator and has a capacity of 1500 watts. It is so arranged that when any light or appliance in the circuit is turned on the unit starts automatically, and when current is no longer being used it stops automatically.

The Kohler Automatic not only has wonderful sales possibilities in itself but it constitutes another contribution toward enlarging the dealer's market for Kohler Ware. It makes it possible for farmers and country home owners, and in fact people everywhere, to have an automatic electric water system, enabling them to enjoy the benefit of a complete plumbing installation.

The Kohler Automatic is a worthy Kohler product and stands alone in its field, no other unit having its remarkable combination of advantages.



Kohler Automatic Power and Light 110 Volt D. C.



Bath Room FB



F-8-S 5 foot "Imperator"
Bath Tub with F-1605 shower,
with poppet waste, F-1705
28x44 inch Curtain Rail and
F-1720 60x60 inch Curtain.
F-145-PA 24x34 inch "Belmore" Lavatory and ¾ inch
mixer shampoo.

mixer shampoo.

F-1359 Closet Combination.

F-1968 Built in Cabinet.

F-2004 18 inch Towel Rack.

F-2031 Bath Room Stool.

F-2038 10½x18 inch Towel-Basket.

F-2047 Soap Holder and Hand Rail.

F-2048 Soap Holder.

F-2066 Robe Hook.

F-2071 Toilet Paper Holder.

Size of room 7x81/2 feet.



Bath Room FD

F-12-S 5 foot "Viceroy" Bath Tub with F-1615 shower, F-1705 28x44 inch Curtain Rail and F-1720 60x60 inch Curtain.

F-205-VA 20x24 inch "Columbia" Lavatory.

F-1349 Closet Combination.

F-1940 18x24 inch Mirror.

F-2004 24 inch Towel Rack.

F-2031 Bath Room Stool.

F-2038 10½x18 inch Towel Basket.


F-2047 Soap Holder and Hand Rail.

-2058 24x5 inch Combination Shelf with Tumbler, Tooth Brush Vase and Towel Rack. F-2058

F-2071 Toilet Paper Holder

Size of room 7x8 feet.





Bath Room FF



F-16-S 5 foot "Viceroy" Bath Tub with F-1605 shower with poppet waste, F-1715 60 inch Curtain Rail and F-1720 60x60 inch Curtain.

F-271-F "Bevo" Lavatory with F-2220 $1\frac{1}{4}$ inch "P" trap.

F-1355 Closet Combination. •

F-1968 Built in Cabinet.

F-2004 18 inch Towel Rack.

Nickel plated brass Wall Towel Basket.

F-2047 Soap Holder and Hand Rail.

F-2066 Robe Hook.

F-2071 Toilet Paper Holder.

Size of room 8x12 feet.



Bath Room FH

F-17-R 5 foot "Viceroy" Bath Tub with F-1785 supply and waste fixture.

F-332-W 18x24 inch "Emmet"
Lavatory fitted with F-2156
faucets, F-2175 % inch supply
pipes, F-2271 lift waste with
china lever handle, F-2220 1¼
inch "P" trap.

F-1349 Closet Combination.

F-1968 Built in Cabinet.

F-1998 18 inch Hand Rail.

F-2004 24 inch Towel Rack.

F-2031 Bath Room Stool.

F-2071 Toilet Paper Holder.

Size of room 6x8½ feet.





Bath Room FJ



F-64-TL 5 foot "Colonna" Bath Tub.

F-580 18x21 inch "Bretton" Lavatory with F-2157 faucets, F-2170 3% inch supply pipes, F-2220 1¼ inch "P" trap, F-2305 plug, and chain stay bolt.

F-1345 Closet Combination with Golden Oak Seat.

F-1912 ½ inch Hose Coupling.

F-1915 Hose, Shampoo, Spray and Hook.

F-1946 16x20 inch Mirror.

F-1990 24 inch Shelf.

F-2006 18 inch Towel Rack.

Nickel plated brass three arm Towel Rack.

F-2042 Combination Sponge Holder and Soap Dish.

F-2062 Tumbler Holder.

F-2072 Toilet Paper Holder.

Size of room 6x8 feet.



The "Imperator" (Patent applied for)

 $K_{\,\,{
m Tub}}^{\,\,{
m OHLER}}$ All Over Enameled "Imperator" ONE PIECE Apron Free Standing Bath Tub with slope end, for building 1/2 inch into floor. Fitted with F-1815 nickel plated brass exposed top supply and 21/4 inch secret waste fixture, 3/4 inch compression valves and supply pipes, indexed china handles and knob. Outlet in tub at right hand end.

Dimensions

Nominal sizes			5	$5\frac{1}{2}$	feet
Length over rim			$62\frac{1}{2}$	$68\frac{1}{2}$	inches
Width over rim	34 inches	Floor to top of rim		$17\frac{1}{2}$	inches
Depth inside, at outlet	17 inches	Width of rim		$4\frac{1}{2}$	inches

F-5-FA As described.

F-5-F Bath only, drilled for fixture shown.



The "Imperator" (Patent applied for)

 $K^{\rm OHLER}$ All Over Enameled "Imperator" ONE PIECE Apron Free Standing Bath Tub with slope end, for building ½ inch into floor. Fitted with F-1815 nickel • plated brass exposed top supply and $2\frac{1}{4}$ inch secret waste fixture, $\frac{3}{4}$ inch compression valves and supply pipes, indexed china handles and knob. Outlet in tub at left hand end.

Dimensions

Nominal sizes.	5	$5\frac{1}{2}$	feet
Length over rim	$62\frac{1}{2}$	$68\frac{1}{2}$	inches
Width over rim		$17\frac{1}{2}$	inches
Depth inside, at outlet 17 inches Width of rim		$4\frac{1}{2}$	inches

F-5-SA As described.

F-5-S Bath only, drilled for fixture shown.



The "Imperator" (Patent applied for)

 $K^{\rm OHLER}$ All Over Enameled "Imperator" ONE PIECE Apron Wall Bath Tub with slope end, for building $1\frac{1}{2}$ inches into wall and $\frac{1}{2}$ inch into floor. Fitted with F-1615 combination built in top supply, 2 inch secret waste and shower with side discharge head, ½ inch mixer and compression valves with connections for iron pipe, china handles and escutcheons, F-1710 28x44 inch curtain rail, and F-1720 60x84 inch duck curtain. Outlet in tub at left hand end.

Can be furnished with outlet at right hand end. Combination shower and bath fixture illustrated can be furnished for any of our apron built in bath tubs.

Dimensions shown on next page.

F-6-SJ As described.

Bath only, drilled for fixture shown. F-6-S



The "Imperator" (Patent applied for)

 K^{OHLER} All Over Enameled "Imperator" ONE PIECE Apron Wall Bath Tub with slope end, for building $1\frac{1}{2}$ inches into wall and $\frac{1}{2}$ inch into floor. Fitted with F-1805 built in top supply and 21/4 inch secret waste fixture, 3/4 inch compression valves with connections for iron pipe, china handles and escutcheons. Outlet in tub at left hand end.


Can be furnished with outlet at right hand end, and supply and waste fixture shown with any of our apron built in bath tubs.

Dimensions

Nominal sizes			5	$5\frac{1}{2}$	feet
Length over rim			$62\frac{1}{2}$	$68\frac{1}{2}$ ir	nches
Width over rim	34 inches	Floor to top of rim		$17\frac{1}{2}$ ir	ıches
Depth inside at outlet	17 inches	Width of rim		41/2 ir	nches

F-6-SK As described.

F-6-S Bath only, drilled for fixture shown.



The "Imperator"

(Patent applied for)

KOHLER All Over Enameled "Imperator" ONE PIECE Apron Right Hand Corner Bath Tub with slope end, for building $1\frac{1}{2}$ inches into walls and $\frac{1}{2}$ inch into floor. Fitted with F-1605 combination built in over rim supply, $1\frac{1}{2}$ inch poppet waste and shower with $\frac{1}{2}$ inch mixer and compression valves with connections for iron pipe, shampoo attachment, hose and spray, china handles and escutcheons, F-1705 28x44 inch curtain rail and F-1720 60x60 inch duck curtain.

Can be furnished with outlet at left hand end, and supply and waste fixture or shower shown with any of our built in bath tubs.

Dimensions shown on next page.

F-7-SJ As described.

F-7-S Bath only, drilled for fixture shown.



The "Imperator" (Patent applied for)

 K^{OHLER} All Over Enameled "Imperator" ONE PIECE Apron Right Hand Corner Bath Tub with slope end, for building $1\frac{1}{2}$ inches into walls and $\frac{1}{2}$ inch into floor. Fitted with F-1805 built in top supply and 21/4 inch secret waste fixture, 34 inch compression valves with connections for iron pipe, china handles and escutcheons. Outlet in tub at right hand end.

Can be furnished with outlet at left hand end, and supply and waste fixtures shown with any of our apron built in bath tubs.

Dimensions

Nominal sizes	5	$5\frac{1}{2}$ feet
Length over rim	62½	$68\frac{1}{2}$ inches
Width over rim 34 inches Floor	to top of rim	17½ inches
Depth inside, at outlet 17 inches Width	h of rim	4½ inches

F-7-SK As described.

F-7-S Bath only, drilled for fixture shown.



The "Imperator" (Patent applied for)

 K^{OHLER} All Over Enameled "Imperator" ONE PIECE Apron Left Hand Corner Bath Tub with slope end, for building $1\frac{1}{2}$ inches into walls and $\frac{1}{2}$ inch into floor. Fitted with built in over rim supply and 2 inch secret waste fixture with $\frac{1}{2}$ inch mixer with connections for iron pipe, china handles and escutcheons. Outlet in tub at left hand end.

Can be furnished with outlet at right hand end, and supply and waste fixture shown with any of our apron built in bath tubs. Supplies to mixer should be fitted with stops for regulating flow of water.

Dimensions

Nominal sizes		5	$5\frac{1}{2}$ feet
Length over rim		62	$\frac{1}{2}$ 68½ inches
Width over rim			
Depth inside, at outlet	17 inches	Width of rim	\dots $4\frac{1}{2}$ inches

F-8-RA As described.

F-8-R Bath only, for fixture shown.



The "Imperator"

(Patent applied for)

KOHLER All Over Enameled "Imperator" ONE PIECE Apron Left Hand Corner Bath Tub with slope end, for building 1½ inches into walls and ½ inch into floor. Fitted with F-1615 combination built in top supply, 2 inch secret waste, shower, ½ inch mixer and compression valves with connections for iron pipe, china handles and escutcheons, F-1705 28x44 inch curtain rail and F-1720 60x60 inch duck curtain. Outlet in tub at left hand end.

Can be furnished with outlet at right hand end, and supply and waste fixture or shower shown with any of our apron built in bath tubs.

Dimensions shown on next page.

F-8-SJ As described.

F-8-S Bath only, drilled for fixture shown.



The "Imperator" (Patent applied for)

 $K^{\rm OHLER}$ All Over Enameled "Imperator" ONE PIECE Apron Left Hand Corner Bath Tub with slope end, for building $1\frac{1}{2}$ inches into walls and $\frac{1}{2}$ inch into floor. Fitted with F-1805 built in top supply and 21/4 inch secret waste fixture, 3/4 inch compression valves with connections for iron pipe, china handles and escutcheons. Outlet in tub at left hand end.


Can be furnished with outlet at right hand end, and supply and waste fixture shown with any of our apron built in bath tubs.

Dimensions

Nominal sizes	. 5	51/2	feet
Length over rim			
Width over rim			
Depth inside, at outlet 17 inches Width of rim		$4\frac{1}{2}$	inches

F-8-SK As described.

Bath only, drilled for fixture shown. F-8-S



The "Imperator" (Patent applied for)


 K^{OHLER} All Over Enameled "Imperator" ONE PIECE Apron Recess Bath Tub with slope end, for building $1\frac{1}{2}$ inches into walls and $\frac{1}{2}$ inch into floor. Fitted with F-1605 combination built in over rim supply, 11/2 inch poppet waste and shower with ½ inch mixer and compression valves with connections for iron pipe, china handles and escutcheons, F-1715 curtain rail and F-1720 60x60 inch duck curtain. Outlet in tub at right hand end.

Can be furnished with outlet at left hand end, and shower illustrated can be used on any of our built in bath tubs.

Dimensions shown on next page.

F-9-J As described.

Bath only, drilled for fixture shown. F-9



The "Imperator" (Patent applied for)

 $K^{\rm OHLER}$ All Over Enameled "Imperator" ONE PIECE Apron Recess Bath Tub with slope end, for building $1\frac{1}{2}$ inches into walls and $\frac{1}{2}$ inch into floor. Fitted with F-1780 built in over rim supply and 1½ inch poppet waste fixture, ¾ inch compression valves with connections for iron pipe, china handles and escutcheons. Outlet in tub at left hand end.

Can be furnished with outlet at right hand end, and supply and waste fixture shown with any of our built in apron bath tubs.


Dimensions

Nominal sizes	5	$5\frac{1}{2}$	feet
Length over rim	$62\frac{1}{2}$	$68\frac{1}{2}$	inches
Width over rim 34 inches Floor to top of rim .		$17\frac{1}{2}$	inches
Depth inside, at outlet 17 inches Width of rim		$4\frac{1}{2}$	inches

F-9-SK As described.

Bath only, drilled for fixture shown.

The "Viceroy"



The "Viceroy" (Patent applied for—Name Reg. U. S. Pat. Office)

 $K^{\rm OHLER}$ All Over Enameled "Viceroy" ONE PIECE Apron Wall Bath Tub with slope end, for building 7_8 inch into wall and 1_2 inch into floor. Fitted with F-1615 combination built in top supply, 2 inch secret waste, shower, side discharge head, ½ inch mixer and compression valves with connections for iron pipe, china handles and escutcheons, F-1710 28x44 inch curtain rail and F-1720 60x84 inch duck curtain. Outlet in tub at right hand end. Shower illustrated can be furnished for any of our built in bath tubs.

Dimensions

Nominal sizes			$4\frac{1}{2}$	5	$5\frac{1}{2}$	6	feet
Length over rim			55	61	67	73	inches
Width over rim 3	30 inches	Floor to top	of rim	١		171/9	inches
Width inside 2	24 inches	Width of bu	ilt in r	im		21/2	inches
Depth inside, at outlet 1	17 inches	Width of ex	posed i	im		31/2	inches

F-10-DJ As described.

F-10-D Bath only, drilled for fixture shown.

The "Viceroy"

(Patent applied for-Name Reg. U. S. Pat. Office)



F-10-A With fixture shown.

F-10 Bath only, drilled for fixture shown.

(Outlet in tub at right hand end)




F-11-GA With fixture shown.
F-11-G Bath only, drilled for fixture shown.
(Outlet in tub at left hand end)



F-10-DA With fixture shown.

F-10-D Bath only, drilled for fixture shown.

(Outlet in tub at right hand end)



F-11-HA With fixture shown.

F-11-H Bath only, drilled for fixture shown.

(Outlet in tub at left hand end),



F-10-EA With fixture shown.
F-10-E Bath only, drilled for fixture shown.

(Outlet in tub at right hand end)



F-11-IA With fixture shown.

F-11-I Bath only, drilled for fixture shown.

(Outlet in tub at left hand end)

F-10-FA With fixture shown.

F-10-F Bath only, drilled for fixture shown.

(Outlet in tub at right hand end).



F-11-FA With fixture shown.

F-11-F Bath only, drilled for fixture shown.

(Outlet in tub at left hand end)

F-1805 built in or F-1815 exposed top supply and 2 inch secret waste fixtures, $\frac{1}{2}$ inch compression valves with connections for iron pipe, china handles and escutcheons are regularly furnished.

For description and dimensions of bath tub see opposite page.

The "Viceroy"



The "Viceroy" (Patent applied for—Name Reg. U. S. Pat. Office)

 K^{OHLER} All Over Enameled "Viceroy" ONE PIECE Apron Right Hand Corner Bath Tub with slope end, for building ${1 \over 20}$ inch into walls and ${1 \over 20}$ inch into floor. Fitted with F-1785 built in over rim supply and 2 inch secret waste fixture, $\frac{1}{2}$ inch compression valves with connections for iron pipe, china handles and escutcheons. Outlet in tub at right hand end.

Supply and waste fixture illustrated can be furnished for wall positions shown with any of our built in bath tubs.

Dimensions

Nominal sizes			$4\frac{1}{2}$	5	$5\frac{1}{2}$	6	feet
Length over rim			54	60	66	72	inches
Width over rim	30 inches	Floor to t	top of	rim		$17\frac{1}{2}$	inches
Width inside	24 inches	Width of	built :	in rim		$2\frac{1}{2}$	inches
Depth inside, at outlet	17 inches	Width of	expos	ed rin	1	$3\frac{1}{2}$	inches

F-12-RA As described.

F-12-R Bath only, for fixture shown.



The "Viceroy" (Patent applied for—Name Reg. U. S. Pat. Office)

 $K^{\rm OHLER}$ All Over Enameled "Viceroy" ONE PIECE Apron Right Hand Corner Bath Tub with slope end, for building % inch into walls and $\frac{1}{2}$ inch into floor. Fitted with built in over rim supply and $1\frac{1}{2}$ inch poppet waste fixture, $\frac{1}{2}$ inch mixer with connections for iron pipe, china handles and escutcheons. Outlet in tub at right hand end.

Supply and waste fixture illustrated can be furnished for wall positions shown with any of our built in bath tubs.

Dimensions

Nominal sizes	$4\frac{1}{2}$	5	$5\frac{1}{2}$	6	feet
Length over rim					
Width over rim					
Width inside 24 inches Width of b	ouilt in	rim		$2\frac{1}{2}$	inches
Depth inside, at outlet 17 inches Width of e	exposed	l rim		$3\frac{1}{2}$	inches

F-12-SK As described.

F-12-S Bath only, drilled for fixture shown.



The "Viceroy" (Patent applied for—Name Reg. U. S. Pat. Office)

 K^{OHLER} All Over Enameled "Viceroy" ONE PIECE Apron Right Hand Corner Bath Tub with slope end, for building 7_8 inch into walls and 1_2 inch into floor. Fitted with F-1780 built in over rim supply and $1\frac{1}{2}$ inch poppet waste fixture, 1/2 inch compression valves with connections for iron pipe, china handles and escutcheons. Outlet in tub at right hand end.

Supply and waste fixture illustrated can be furnished for wall positions shown with any of our built in bath tubs.

Dimensions

Nominal sizes			$4\frac{1}{2}$	5	$5\frac{1}{2}$	6	feet
Length over rim			54	60	66	72	inches
Width over rim 30		Floor to to	p of ri	m	1	$7\frac{1}{2}$	inches
Width inside		Width of b					
Depth inside, at outlet 17	inches	Width of e	xposed	rim.		$3\frac{1}{2}$	inches

F-12-SL As described.

F-12-S Bath only, drilled for fixture shown.



The "Viceroy" (Patent applied for—Name Reg. U. S. Pat. Office)

 K^{OHLER} All Over Enameled "Viceroy" ONE PIECE Apron Right Hand Corner Bath Tub with slope end, for building 7/8 inch into walls and 1/2 inch into floor. Fitted with F-1795 built in over rim supply and 11/2 inch connected waste and overflow, ½ inch compression valves with connections for iron pipe, china handles and escutcheons. Outlet in tub at right hand end.

Supply and waste fixture illustrated can be furnished for wall positions shown with any of our built in bath tubs.

Dimensions

Nominal sizes	$4\frac{1}{2}$	5	$5\frac{1}{2}$	6	feet
Length over rim					
Width over rim					
Width inside	Width of built in	rim.		$2\frac{1}{2}$	inches
Depth inside, at outlet 17 inches	Width of exposed	l rim.		31/2	inches

F-12-SA As described.

F-12-S Bath only, drilled for fixture shown.



The "Viceroy" (Patent applied for—Name Reg. U. S. Pat. Office)

KOHLER All Over Enameled "Viceroy" ONE PIECE Apron Right Hand Corner Bath Tub with slope end, for building 1/8 inch into walls and 1/2 inch into floor. Fitted with F-1605 combination built in over rim supply, 2 inch secret waste, shower, ½ inch mixer and compression valves with connections for iron pipe, china handles and escutcheons, F-1705 28x44 inch curtain rail and F-1720 60x60 inch duck curtain. Outlet in tub at right hand end.


Shower illustrated can be furnished for any of our built in bath tubs.

Dimensions

Nominal sizes								
Length over rim				54	60	66	-72	inches
Width over rim								
Width inside	24	inches	Width of b	ouilt in	rim.		$2\frac{1}{2}$	inches
Depth inside, at outlet	17	inches	Width of e	exposed	l rim.		$3\frac{1}{2}$	inches

F-12-RJ As described. F-12-R Bath only, drilled for fixture shown.

(Patent applied for-Name Reg. U. S. Pat. Office)



F-12-A With fixture shown.

F-12 Bath only, drilled for fixture shown. (Outlet in tub at right hand end)



F-12-DA With fixture shown.

F-12-D Bath only, drilled for fixture shown.
(Outlet in tub at right hand end)



F-12-EA With fixture shown.

F-12-E Bath only, drilled for fixture shown.
(Outlet in tub at right hand end)



F-12-FA With fixture

F-12-F Bath only, drilled for fixture shown.

shown.

(Outlet in tub at right hand end)



F-13-GA With fixture shown.

F-13-G Bath only, drilled for fixture shown. (Outlet in tub at left hand end)



F-13-HA With fixture shown.

F-13-H Bath only, drilled for fixture shown.

(Outlet in tub at left hand end)



F-13-IA With fixture shown.

F-13-I Bath only, drilled for fixture shown.
(Outlet in tub at left hand end)

F-13-FA With fixture shown.


F-13-F Bath only, drilled for fixture shown.

(Outlet in tub at left hand end)

F-1805 built in or F-1815 exposed top supply and 2 inch secret waste fixtures, ½ inch compression valves with connections for iron pipe, china handles and

escutcheons are regularly furnished.

For description and dimensions of bath tubs see opposite page.



The "Viceroy" (Patent applied for—Name Reg. U. S. Pat. Office)


 $K^{OHLER\,All\,Over\,Enameled\, "Viceroy"}\, ONE\,PIECE\, Apron\, Left\, Hand\,\, Corner\,\, Bath\,\, Tub\,\, with\,\, slope\,\, end,\,\, for\,\, building\,\, rac{7}{8}\,\, inch\,\, into\,\,\, walls\,\, and\,\, rac{1}{2}\,\, inch\,\, into\,\,\, floor.$ Fitted with F-1805 built in top supply and 2 inch secret waste fixture, ½ inch compression valves, F-1635 shower with ball joint head, ½ inch concealed valves all with connections for iron pipe, china handles and escutcheons, F-1705 28x44 inch curtain rail and F-1720 60x60 inch duck curtain. Outlet in tub at left hand end.

Shower illustrated can be furnished for any of our built in bath tubs.

Differences								
Nominal sizes			41/9	5	51/2	6	feet	
Length over rim			54	60	66	72	inches	
Width over rim 30	inches	Floor to	top of	rim		$17\frac{1}{2}$	inches	
Width inside	inches	Width of	built	in rim		$2\frac{1}{2}$	inches	
Depth inside, at outlet 17	inches	Width of	expos	ed rim		31/2	inches	

F-14-J As described. F-14 Bath only, drilled for fixture shown.

(Patent applied for-Name Reg. U. S. Pat. Office)




F-14-A With fixture shown.

F-14 Bath only, drilled for fixture shown.
(Outlet in tub at left hand end)



F-14-DA With fixture shown.

F-14-D Bath only, drilled for fixture shown (Outlet in tub at left hand end)



F-14-EA With fixture shown.

F-14-E Bath only, drilled for fixture shown.


(Outlet in tub at left hand end)



F-15-GA With fixture shown.

F-15-G Bath only, drilled for fixture shown.

Outlet in tub at right hand end)




F-15-HA With fixture shown.

F-15-H Bath only, drilled for fixture shown.
(Outlet in tub at right hand end)



F-15-IA With fixture shown.

F-15-I Bath only, drilled for fixture shown. (Outlet in tub at right hand end)



F-14-F Bath only. drilled for fixture shown.

(Outlet in tub at left hand end)




F-15-FA With fixture shown.

F-15-F Bath only, drilled for fixture shown.

(Outlet in tub at right hand end)

F-1805 built in or F-1815 exposed top supply and 2 inch secret waste fixtures, $\frac{1}{2}$ inch compression valves with connections for iron pipe, china handles and escutcheons are regularly furnished.

For description and dimensions of bath tubs see opposite page.



The "Viceroy" (Fatent applied for—Name Reg. U. S. Pat. Office)


KOHLER All Over Enameled "Viceroy" ONE PIECE Apron Recess Bath Tub with slope end, for building 1/8 inch into walls and 1/2 inch into floor. Fitted with special combination built in over rim supply, 2 inch secret waste, shower, needle bath sprays with removable face, 1/2 inch mixer and compression valves with connections for iron pipe, china handles and escutcheons, F-1715 curtain rail and F-1720 60x60 inch duck curtain. Outlet in tub at right hand end.

Shower illustrated can also be furnished with top supply, poppet waste or connected waste and overflow, and for any of our corner and recess built in bath tubs.

Dimensions

Nominal sizes			41/2	5	51/2	6	feet
Length over rim			54	60	66	72	inches
Width over rim 30		Width of	built in	n rim	:		
Width inside 24		at rear	and or	ıtlet e	end	$2\frac{1}{2}$	inches
Depth inside, at outlet 17		at head	l end			31/2	inches
Floor to top of rim $17\frac{1}{2}$	inches	Width of	expose	d rin	1	$3\frac{1}{2}$	inches

F-16-RH As described. F-16-R Bath only, for fixture shown.



The "Viceroy"

(Patent applied for-Name Reg. U. S. Pat. Office)

KOHLER All Over Enameled "Viceroy" ONE PIECE Apron Recess Bath Tub with slope end, for building $\frac{1}{2}$ inch into walls and $\frac{1}{2}$ inch into floor. Fitted with F-1785 built in over rim supply and 2 inch secret waste fixture, $\frac{1}{2}$ inch compression valves with connections for iron pipe, china handles and escutcheons. Outlet in tub at right hand end.


Supply and waste fixture illustrated can be furnished for wall positions shown with any of our built in bath tubs.

Dimensions

Nominal sizes								feet
Length over rim				54	00	99	12	inches
Width over rim	30	inches	Width of	built	in rir	n:		
Width inside				and o	outlet	end	$2\frac{1}{2}$	inches
Depth inside, at outlet	17	inches	at head	d end.			$3\frac{1}{2}$	inches
Floor to top of rim	$17\frac{1}{2}$	inches	Width of	expos	sed rii	m	$3\frac{1}{2}$	inches

F-16-RA As described.

F-16-R Bath only, for fixture shown.



The "Viceroy" (Patent applied for—Name Reg. U. S. Pat. Office)


 K^{OHLER} All Over Enameled "Viceroy" ONE PIECE Apron Recess Bath Tub with slope end, for building $\frac{7}{8}$ inch into walls and $\frac{1}{2}$ inch into floor. Fitted with F-1605 combination built in over rim supply, 2 inch secret waste, shower, $\frac{1}{2}$ inch mixer and compression valves with connections for iron pipe, china handles and escutcheons, F-1715 curtain rail and F-1720 60x60 inch duck curtain. Outlet in tub at right hand end.

Shower illustrated can be furnished for any of our built in bath tubs.

Dimensions

Nominal sizes			41/2	5	51/2	6	feet.
Length over rim			54	60	66	72	inches
Width over rim 30	inches	Width of	built i	n rim	:		**********
Width inside 24	inches				end	21/6	inches
Depth inside, at outlet 17	inches						
Floor to top of rim $17\frac{1}{2}$	inches	Width of					

F-16-RJ As described. F-16-R Bath only, for fixture shown.



The "Viceroy" (Patent applied for—Name Reg. U. S. Pat. Office)

 $K^{\rm OHLER}$ All Over Enameled "Viceroy" ONE PIECE Apron Recess Bath Tub with slope end, for building ½ inch into walls and ½ inch into floor. Fitted with F-1795 built in over rim supply and 11/2 inch connected waste and overflow, 1/2 inch compression valves with connections for iron pipe, china handles and escutcheons. Outlet in tub at right hand end.


Supply and waste fixture illustrated can be furnished for wall positions shown with any of our built in bath tubs.

Dimensions

Nominal sizes			$4\frac{1}{2}$	5	$5\frac{1}{2}$	6	feet
Length over rim			54	60	66	72	inches
Width over rim 30	inches	Width of b	uilt in	rim:			
Width inside 24	inches	at rear a	nd out	let er	nd	$2\frac{1}{2}$	inches
Depth inside, at outlet 17	inches	at head e	end			$3\frac{1}{2}$	inches
Floor to top of rim 17½	inches	Width of ex	xposed	rim.		$3\frac{1}{2}$	inches

F-16-SA As described.

F-16-S Bath only, drilled for fixture shown.



The "Viceroy" (Patent applied for—Name Reg. U. S. Pat. Office)

 K^{OHLER} All Over Enameled "Viceroy" ONE PIECE Apron Recess Bath Tub with slope end, for building $\frac{7}{8}$ inch into walls and $\frac{1}{2}$ inch into floor. Fitted with F-1610 combination built in over rim supply, 11/2 inch connected waste and overflow, shower, ½ inch mixer and compression valves with connections for iron pipe, china handles and escutcheons, F-1715 curtain rail and F-1720 60x60 inch duck curtain. Outlet in tub at right hand end. Shower illustrated can be furnished for any of our built in bath tubs.

Dimensions

Nominal sizes. Length over rim			60 6	5½ 6 66 72	feet
With over rim	30 inches	Width of built in	rim:		
Width inside	24 inches	at rear and out	let end	21/2	inches
Depth inside, at outlet	17 inches	at head end		$3\frac{1}{2}$	inches
Floor to top of rim	$17\frac{1}{2}$ inches	Width of exposed	l rim	$ 3\frac{1}{2}$	inches

F-16-SJ As described. F-16-S Bath only, drilled for fixture shown.

(Patent applied for-Name Reg. U. S. Pat. Office)




F-16-A With fixture shown.

F-16 Bath only, drilled for fixture shown. (Outlet in tub at right hand end)



F-16-DA With fixture shown.


F-16-D Bath only, drilled for fixture shown.
(Outlet in tub at right hand end)



F-16-EA With fixture shown.

F-16-E Bath only, drilled for fixture shown.


(Outlet in tub at right hand end)



F-17-GA With fixture shown.

F-17-G Bath only, drilled for fixture shown.

(Outlet in tub at left hand end)



F-17-HA With fixture shown.

F-17-H Bath only, drilled for fixture shown.
(Outlet in tub at left hand end)



F-17-IA With fixture shown.

F-17-I Bath only, drilled for fixture shown.

(Outlet in tub at left hand end)

F-16-FA With fixture shown.

F-16-F Bath only, drilled for fixture shown.

(Outlet in tub at right hand end)




F-17-FA With fixture shown.

F-17-F Bath only, drilled for fixture shown.

(Outlet in tub at left hand end)

F-1805 built in or F-1815 exposed top supply and 2 inch secret waste fixtures, $\frac{1}{2}$ inch compression valves with connections for iron pipe, china handles and escutcheons are regularly furnished.

For description and dimensions of bath tubs see opposite page.



F-20-SA "Cardinal"

 K^{OHLER} Enameled "Cardinal" ONE PIECE Wall Bath Tub for building $\frac{7}{8}$ inch into walls and $\frac{1}{2}$ inch into floor. Fitted with F-1795 built in over rim supply and $\frac{1}{2}$ inch connected waste and overflow, $\frac{1}{2}$ inch compression valves with connections for iron pipe, china handles and escutcheons. Outlet in tub at left hand end.

Can be furnished all over enameled, with outlet at right hand end, any supply and waste fixture shown with our built in bath tubs, and with zinc, ivory or plain white exterior finish.

Dimensions

Nominal sizes		416	5	51/	foot
I ength over rim			0114	372	reet
Length over rim			$61\frac{1}{2}$	$67\frac{1}{2}$	inches
Width over rim	29 inches	Floor to top of rim.		171/6	inches
Depth inside, at outlet	17 inches	Width of built in rin		0	· -1
			1	4	inches
	Width of exposer	d rim 3 inches			

With outlet and fixture near right hand end.


F-19-SA Inside only enameled, as described.

F-19-S Bath only, drilled for fixture described.

With outlet and fixture near left hand end as shown.

F-20-SA Inside only enameled, as described.

F-20-S Bath only, drilled for fixture shown.



F-22-TA "Cardinal"

KOHLER Enameled "Cardinal" ONE PIECE Right Hand Corner Bath Tub for building $\frac{1}{2}$ inch into walls and $\frac{1}{2}$ inch into floor. Fitted with F-1893 No. 3 compression double bath cock with china handles, $\frac{1}{2}$ inch offset supply pipes, and F-1900 $\frac{1}{2}$ inch connected waste and overflow. Outlet in tub at left hand end.

Can be furnished all over enameled, with outlet at right hand end, any supply and waste fixture shown with our built in bath tubs, and with zinc, ivory or plain white exterior finish.

Dimensions

Nominal sizes	$4\frac{1}{2}$	5	$5\frac{1}{2}$	feet			
Length over rim	$54\frac{1}{2}$	$60\frac{1}{2}$	$66\frac{1}{2}$	inches			
Width over rim 29 inches Floor to top	of rim.		$17\frac{1}{2}$	inches			
Depth inside, at outlet 17 inches Width of built	ilt in rir	n	2	inches			
Width of exposed rim 3 inches							

With outlet, bath cock concealed through tub and concealed connected waste and overflow at right hand end.

F-21-TA Inside only enameled, as described.

F-21-T Bath only, drilled for fixture described.

With outlet and fixture at left hand end as shown.

F-22-TA Inside only enameled, as described.

F-22-T Bath only, drilled for fixture shown.



F-24-SA "Cardinal"

 K^{OHLER} Enameled "Cardinal" ONE PIECE Left Hand Corner Bath Tub for building $7\!\!/_8$ inch into walls and $1\!\!/_2$ inch into floor. Fitted with F-1805 built in top supply and 2 inch secret waste fixture, $1\!\!/_2$ inch compression valves with connections for iron pipe, china handles and escutcheons. Outlet in tub at left hand end.

Can be furnished all over enameled, with outlet at right hand end, any supply and waste fixture shown with our built in bath tubs, and with zinc, ivory or plain white exterior finish.

Dimensions

Nominal sizes	$4\frac{1}{2}$	5	$5\frac{1}{2}$	feet				
Length over rim	$54\frac{1}{2}$	$60\frac{1}{2}$	$66\frac{1}{2}$	inches				
Width over rim	of rim.		$17\frac{1}{2}$	inches				
Depth inside, at outlet 17 inches Width of bu	ilt in rin	1	2	inches				
Width of exposed rim 3 inches								

With outlet and fixture at left hand end as shown.

F-24-SA Inside only enameled, as described.

F-24-S Bath only, drilled for fixture shown.

With outlet and F-1815 exposed fixture at right hand end.

F-25-SA Inside only enameled, as described.

F-25-S Bath only, drilled for fixture described.



F-26-RA "Cardinal"

 $K^{\rm OHLER}$ Enameled "Cardinal" ONE PIECE Recess Bath Tub for building ${7 \over 8}$ inch into walls and ${1 \over 2}$ inch into floor. Fitted with F-1785 built in over rim supply and 2 inch secret waste fixture, ${1 \over 2}$ inch compression valves with connections for iron pipe, china handles and escutcheons. Outlet in tub at right hand end.

Can be furnished all over enameled, with outlet at left hand end, any supply and waste fixture shown with our built in bath tubs, and with zinc, ivory or plain white exterior finish.

Dimensions										
Nominal sizes	4½	5	$5\frac{1}{2}$	feet						
Length over rim	53½	$59\frac{1}{2}$	$65\frac{1}{2}$	inches						
Width over rim 29 inch	ries Floor to top of rim.		$17\frac{1}{2}$	inches						
Depth inside, at outlet 17 inch	nes Width of built in rir	n	2	inches						
Width of exposed rim 3 inches										

With outlet and fixture at right hand end as shown.

F-26-RA Inside only enameled, as described.

F-26-R Bath only, for fixture shown.

With outlet and fixture at left hand end.

F-27-RA Inside only enameled, as described.

F-27-R Bath only, for fixture described.

The "Colonna" Hospital



The "Colonna" Hospital

 K^{OHLER} Enameled "Colonna" Hospital Portable Bath Tub on wrought iron carriage with swiveled front axle, detachable draw handle and rubber tired wheels, fitted with nickel plated brass $1\frac{1}{2}$ inch quick opening waste valve with hose end. This tub is designed for use in hospitals, asylums, prisons and similar institutions.

Can be furnished with ¾ inch waste valve, and with zipc, ivory or plain white exterior finish.

Dimensions

Nominal sizes		. 4	$4\frac{1}{2}$	5	$5\frac{1}{2}$	6	feet
Length over rim		. 48	54	60	66	72	inches
Width over rim 30 i	inches	Floor t	o top of	rim.		$22\frac{1}{2}$	inches
Depth inside, at outlet 17 i	inches	Width	of rim			3	inches

F-52 As described.



The "Baroness"

 $K^{\rm OHLER}$ Enameled "Baroness" Bath Tub on painted base, fitted through end rim with F-1836 KOHLER nickel plated brass double bell top supply and $1\frac{1}{2}$ inch poppet waste fixture (Patented), $\frac{1}{2}$ inch compression valves and supply pipes, china handles and knob.

Can furnish tub with zinc, ivory or plain white exterior finish, and base with same finish or enameled.

To 1	
1)ıme	nsions
	TIOTOTIO

Nominal sizes						
Length over rim						
Floor to top of rim	$22\frac{1}{2}$	$22\frac{1}{2}$	$22\frac{1}{2}$	$22\frac{1}{2}$	$21\frac{3}{4}$	inches
Width over rim		30	inches			
Depth inside, at outlet.		17	inches			
Width of rim		3	inches			
E-57-PA As described						

F-57-P Bath only, drilled for fixture shown.



The "Baroness"

 K^{OHLER} Enameled "Baroness" Bath Tub on painted base, fitted with F-1816 nickel plated brass top supply and 2 inch secret waste fixture, $\frac{1}{2}$ inch compression valves and supply pipes, china handles and knob.

Can furnish tub with zinc, ivory or plain white exterior finish, and base with same finish or enameled.

Dimensions

Nominal sizes.	4	$4\frac{1}{2}$	5	$5\frac{1}{2}$	6	feet
Length over rim	48	54	60	66	72	inches
Floor to top of rim	$22\frac{1}{2}$	$22\frac{1}{2}$	$22\frac{1}{2}$	$22\frac{1}{2}$	$21\frac{3}{4}$	inches
· Width over rim		30	inches			
Depth inside, at outlet .		17	inches			
Width of rim		3	inches			

F-57-SA As described.

F-57-S Bath only, drilled for fixture shown.



The "Baroness"

 $K^{\rm OHLER}$ Enameled "Baroness" Bath Tub on painted base, fitted with F-1893 nickel plated brass No. 3 compression double bath cock with china handles, 1/2 inch offset supply pipes, and F-1895 2 inch secret waste with china knob.

Can furnish tub with zinc, ivory or plain white exterior finish, and base with same finish or enameled.

-	
Dim	ensions

Nominal sizes 4 4½	5	$5\frac{1}{2}$	6	feet
Length over rim	60	66	72	inches
Floor to top of rim	$22\frac{1}{2}$	$22\frac{1}{2}$	$21\frac{3}{4}$	inches
Width over rim 30	inches	6		
Depth inside, at outlet 17	inches	3		
Width of rim 3	inches	3		

 $\textbf{F-57-TK}\,$ As described.

F-57 Bath only, drilled for fixture shown.



The "Baroness"

 $K^{\rm OHLER}$ Enameled "Baroness" Bath Tub on painted base, fitted with F-1893 nickel plated brass No. 3 compression double bath cock with china handles, $\frac{1}{2}$ inch offset supply pipes, and F-1900 $1\frac{1}{2}$ inch connected waste and overflow.

Can furnish tub with zinc, ivory or plain white exterior finish, and base with same finishes or enameled.

Dimensions

Nominal sizes	4	$4\frac{1}{2}$	5	$5\frac{1}{2}$	6	feet	
Length over rim	48	54	60	66	72	inches	
Floor to top of rim	$22\frac{1}{2}$	$22\frac{1}{2}$	$22\frac{1}{2}$	$22\frac{1}{2}$	213/4	inches	
Width over rim		30	inches				
Depth inside, at outlet		17	inches				

Width of rim....

F-57-TL As described.

F-57 Bath only, drilled for fixture shown.

The "Colonna"



The "Colonna"

 $K^{\rm OHLER}$ Enameled "Colonna" Bath Tub on legs, fitted with F-1816 nickel plated brass top supply and 2 inch secret waste fixture, $\frac{1}{2}$ inch compression valves and supply pipes, china handles and knob.

Can be furnished with zinc, ivory or plain white exterior finish.

Dimensions

Nominal sizes	4	$4\frac{1}{2}$	5	$5\frac{1}{2}$	6	feet
Length over rim	48	54	60	66	72	inches
Width over rim	r to	top of ri	m	2	$2\frac{1}{2}$	inches
Depth inside, at outlet 17 inches Wid	th of	frim			3	inches

F-64-SA As described.

F-64-S Bath only, drilled for fixture shown.

The "Colonna"



The "Colonna"

 $K^{\rm OHLER}$ Enameled "Colonna" Bath Tub on legs, fitted with F-1893 nickel plated brass No. 3 compression double bath cock with china handles, ½ inch offset supply pipes, and F-1895 2 inch secret waste with china knob.

Can be furnished with zinc, ivory or plain white exterior finish.

Dimensions

Nominal sizes		 4	$4\frac{1}{2}$	5	$5\frac{1}{2}$	6	feet
Length over rim		 48	54	60	66	72	inches
Width over rim 30) inches		top of r				
Depth inside, at outlet 17			rim				

F-64-TK As described.

F-64 Bath only, drilled for fixture shown.

The "Colonna"



The "Colonna"

 $K^{\rm OHLER}$ Enameled "Colonna" Bath Tub on legs, fitted with F-1893 nickel plated brass No. 3 compression double bath cock with china handles, $\frac{1}{2}$ inch offset supply pipes, and F-1900 $1\frac{1}{2}$ inch connected waste and overflow.

Can be furnished with zinc, ivory or plain white exterior finish.

Dimensions

Nominal sizes	4	$4\frac{1}{2}$	5	$5\frac{1}{2}$	6	feet
Length over rim	48	54	60	66	72	inches
	r to	top of r	im		$22\frac{1}{2}$	inches
Depth inside, at outlet 17 inches Widt	h of	frim			3	inches

F-64-TL As described.

F-64 Bath only, drilled for fixture shown.

The "Rival"



The "Rival"

 $K^{\rm OHLER}$ Enameled "Rival" Bath Tub on legs, fitted with F-1890 nickel plated brass No. 3 compression double bath cock with china handles, $\frac{1}{2}$ inch offset supply pipes, and F-1894 $\frac{1}{2}$ inch poppet waste with china knob.

Can be furnished with zinc, ivory or plain white exterior finish.

Dimensions

Nominal sizes			4	$4\frac{1}{2}$	5	51	g feet
Length over rim		4	18 5	4	60	67	inches
Width over rim 26	inches	Floor to top	of rim			23	inches
Depth inside, at outlet 175/8	inches	Width of rin	n			2	inches

F-80-TA As described.

F-80 Bath only, drilled for fixture shown.

The "Rival"



The "Rival"

 $K^{\rm OHLER}$ Enameled "Rival" Bath Tub on legs, fitted with F-1893 nickel plated brass No. 3 compression double bath cock with china handles, 1/2 inch offset supply pipes, and F-1900 11/2 inch connected waste and overflow.

Can be furnished with zinc, ivory or plain white exterior finish.

Dimensions

Nominal sizes	4	$4\frac{1}{2}$	5	51	½ feet
Length over rim	48	54	60	67	inches
Width over rim 26 inches Floor to top	of	rim		23	inches
Depth inside, at outlet 175/8 inches Width of rir	n			2	inches

F-80-TK As described.

F-80 Bath only, drilled for fixture shown.

The "Alcove"



The "Alcove" (Patent applied for)

 K^{OHLER} All Over Enameled "Alcove" ONE PIECE Apron Bath Tub, for building $\frac{1}{16}$ inch into walls and $\frac{1}{12}$ inch into floor. Fitted with F-1605 combination built in over rim supply and shower with side discharge head, ½ inch mixer and compression valves with connections for iron pipe, china handles and escutcheons, F-1900 1½ inch built in connected waste and overflow, F-1715 curtain rail and F-1720 36x60 inch duck curtain. Outlet in tub at front end. Connected waste and overflow on side with shower.

Can be furnished with shower shown on any of our built in bath tubs.

Dimensions shown on next page.

F-86-SJ As described.

F-86-S Bath only, drilled for fixture shown.

The "Alcove"



The "Alcove"

 $K^{\rm OHLER}$ Enameled "Alcove" ONE PIECE Apron Bath Tub, for building $7\!\!/_{\!8}$ inch into walls and $1\!\!/_{\!2}$ inch into floor. Fitted with F-1795 built in over rim supply and 1½ inch brass built in connected waste and overflow, ½ inch compression valves with connections for iron pipe, china handles and escutcheons. Outlet in tub at front end. Connected waste and overflow on side with bath cock.

Can be furnished with supply and waste fixture shown with any of our apron built in bath tubs.

Dimensions

Nominal sizes (rear to front)	3½	4	feet
Length over rim (rear to front)	$42\frac{1}{2}$	$48\frac{1}{2}$	inches
Width over rim	Floor to top of rim	$17\frac{1}{2}$	inches
Depth inside, at outlet 17 inches V	Width of rim: front and sides	$2\frac{1}{2}$	inches

F-86-SA As described.

F-86-S Bath only, drilled for overflow as described.

The "Cataract"

The "Cascade"





The "Cataract"

KOHLER Enameled "Cataract" ONE PIECE Apron Recess Receptor for building 1½ inches into walls and ½ inch into floor, with F-1625 shower with ball Joint head, ½ inch built in mixer and connections for iron pipe, controlling valves, hose and shampoo spray, china handles and escutcheons, F-1715 curtain rail, F-1720 duck curtain, and strainer with outlet for 2 inch lead or iron pipe, for solder or calked joint.

Above receptor can be arranged for setting in batteries. Supply to mixer on "Cataract" receptor should be fitted with check valves.

Dimensions

Nominal sizes over rim	36x36	42x42	inches
Actual sizes	$36x36\frac{1}{2}$	$42x42\frac{1}{2}$	inches
Depth inside, at outlet	33/4	33/4	inches
Depth of apron	5	5	inches
Width of rim at front	2	2	inches

F-95 As described.

The "Cascade"

 $K^{\rm OHLER}$ Enameled "Cascade" Receptor with nicke plated brass shower with ball joint head, ½ inch mixer, riser and supply pipes to wall, check valves, compression controlling valves, china handles, shampoo attachment, hose, spray and hook, 36x36 inch curtain ring, duck curtain, hook, and strainer with outlet for 2 inch lead or iron pipe, for solder or calked joint.

For receptor on legs, and for exterior finishes, see description for "Cascade" and "Niagara" receptors on next page. Shower can be furnished without shampoo, and with valves instead of mixer.

Dimensions

Nominal sizes over rim.	36 x36	42x42	inches
Actual sizes	367/8x367/8	43x43 ·	inches
Depth inside, at outlet	$6\frac{3}{4}$	8	inches
Floor to top of rim	93/4	$11\frac{1}{2}$	inches
Width of rim	$2\frac{1}{2}$	3	inches

F-96 As described.



The "Cataract"

The "Cataract"

KOHLER Enameled "Cataract" ONE PIECE Apron Recess Receptor, for building 1¼ inches into walls and ½ inch into floor, center outlet with nickel plated brass strainer with outlet for 2 inch lead or iron pipe, for solder or calked joint.

This receptor can be arranged to set in batteries.

	cione

Nominal sizes over rim	36x36	42x42	inches
Actual sizes	$36x36\frac{1}{2}$	42x42½	inches
Depth inside, at outlet	$3\frac{3}{4}$	$3\frac{3}{4}$	inches
Depth of apron	5	5	inches
Width of rim at front.	. 2	2	inches

F-105 As described.

The "Cascade"

KOHLER Enameled "Cascade" Receptor on base, center outlet with nickel plated brass strainer with outlet for 2 inch lead or iron pipe, for solder or calked joint.

Can be furnished with zinc, ivory or plain white exterior finish.

Dimensions

Nominal sizes over rim	36 x36	42x42 inches
Actual sizes	$36\frac{7}{8}$ x $36\frac{7}{8}$	43x43 inches
Depth inside, at outlet	$6\frac{3}{4}$	8 inches
Floor to top of rim	$9\frac{3}{4}$	$11\frac{1}{2}$ inches
Width of rim	$2\frac{1}{2}$	3 inches

F-108 As described.



The "Cascade"



The "Niagara"

The "Niagara"

KOHLER Enameled "Niagara" Receptor on legs, center outlet with nickel plated brass strainer with outlet for 2 inch lead or iron pipe, for solder or calked joint.

Can be furnished with zinc, ivory or plain white exterior finish.

Dimensions

Nominal sizes over rim	36 x36	42x42 inches
Actual sizes	$36\frac{7}{8}$ x $36\frac{7}{8}$	43x43 inches
Depth inside, at outlet	$6\frac{3}{4}$	8 inches
Floor to top of rim	$11\frac{1}{4}$	13 inches
Width of rim	$2\frac{1}{2}$	3 inches

F-112 As described.

The "Brevoort"

KOHLER Enameled "Brevoort" Sitz Bath on painted base, fitted with nickel plated brass bell supply and 1 ½ inch secret waste fixture, ½ inch compression valves and supply pipes, indexed china handles and knob.

Can furnish tub with zinc, ivory or plain white exterior finish, and base with same finish or enameled.

Dimensions

T3 / 1 1 1 1	001/	
Front to back over rim	$32\frac{1}{2}$	inches
Width over rim	$30\frac{1}{4}$	inches
Depth inside, at outlet	$10\frac{1}{2}$	inches
Floor to top of rim at front	15	inches
Floor to top of rim at back	$23\frac{1}{2}$	inches
Width of rim	3	inches



The "Brevoort"

F-118-A Inside only enameled, as described.
F-118 Inside only enameled, drilled for fixture shown.



The "Nautica"

 $K^{\,\rm OHLER}$ Enameled "Nautica" Sitz Bath on legs, fitted with nickel plated brass bell supply and 15% inch secret waste fixture, 1/2 inch compression valves and supply pipes, indexed china handles and knob.

Can be furnished all over enameled on enameled legs, or with zinc, ivory or plain white exterior finish.

Dimensions

Front to back over rim	$32\frac{1}{2}$	inches
Width over rim	$30\frac{1}{4}$	inches
Depth inside, at outlet	$10\frac{1}{2}$	inches
Floor to top of rim at front	15	inches
Floor to top of rim at back	$23\frac{1}{2}$	inches
Width of rim	3	inches

The "Nautica"

F-122-A Inside only enameled, as described. F-122 Inside only enameled, drilled for fixture shown.



The "Athearn"

 $K^{\rm OHLER}$ Enameled "Athearn" Foot Bath on painted base, fitted with nickel plated brass bell supply and 1% inch secret waste fixture, ½ inch compression valves and supply pipes, indexed china handles and knob.

Can furnish tub with zinc, ivory or plain white exterior finish, and base with same finishes or enameled.

Dimensions

Length over rim	$24\frac{1}{4}$	inches
Width over rim	$21\frac{1}{4}$	inches
Floor to top of rim	$15\frac{3}{4}$	inches
Depth inside, at outlet	$11\frac{1}{2}$	inches
Width of rim	$2\frac{1}{4}$	inches

The "Athearn"

F-126-A Inside only enameled, as described.

F-126 Inside only enameled, drilled for fixture shown.

The "Ninon"

 $K^{\rm OHLER}$ Enameled "Ninon" Foot Bath on legs, fitted with nickel plated brass bell supply and 15% inch secret waste fixture, 15% inch compression valves and supply pipes, indexed china handles and knob.

Can be furnished all over enameled on enameled legs, or with zinc, ivory or plain white exterior finish.

Dimensions

Length over rim	$24\frac{1}{4}$	inches
Width over rim	$21\frac{1}{4}$	inches
Floor to top of rim		
Depth inside, at outlet	$11\frac{1}{2}$	inches
Width of rim	21/4	inches



The "Ninon"

F-130-A Inside only enameled, as described.

F-130 Inside only enameled, drilled for fixture shown.

When ordering specify number

The "Filmore" Lavatory



The "Filmore"

KOHLER Enameled ONE PIECE "Filmore" Lavatory with patent overflow, on enameled round pedestal.

Dimensions

Nominal sizes	20	x28			inches
Actual sizes	201	4x28	- 241	$4x33\frac{3}{4}$	inches
American basin, rear outlet	12	x15	14	x18	inches
Depth of apron		$4\frac{1}{2}$		$4\frac{1}{2}$	inches

F-141-PA Complete, with F-2126 combination compression supply and lift waste fixture, F-2175 % inch supply pipes and F-2220 1¼ inch "P" trap.

F-141-P With combination fixture only.

F-141 Lavatory only, for fixture shown.

When ordering specify number and size

Can be furnished with fittings as shown on any of our other lavatories

The "Filmore" Lavatory



F-141-SA

With patent overflow.

F-141-SA Complete, with F-2155 compression faucets, F-2175 % inch supply pipes, F-2261 lift waste and F-2220 1¼ inch "P" trap.

F-141-S With lift waste only. F-141 Lavatory only, for fittings shown.

F-141-SA

F-141-WA

F-141-WA Complete, with F-2130 combination compression supply and secret waste fixture, F-2175 % inch supply pipes and F-2242 1¼ inch "P" trap.

F-141-W With combination fixture only.

F-141-X Lavatory only, for fixture shown.



F-141-WA

Dimensions shown on preceding page.

Can be furnished with fittings as shown on any of our other lavatories

The "Belmore" Lavatory



The "Belmore"

KOHLER Enameled ONE PIECE "Belmore" Lavatory with patent overflow, on enameled square pedestal.

Dimensions

Nominal sizes	20	x28			inches
A 1	20%	8X201/8		-	inches
American basin, rear outlet			14	x18	inches
Depth of apron		$4\frac{1}{2}$		$4\frac{1}{2}$	inches

F-145-PA Complete, with F-2126 combination compression supply and lift waste fixture, F-2175 3/8 inch supply pipes and F-2220 1½ inch "P" trap.

F-145-P With combination fixture only.

Lavatory only, for fixture shown.

The "Belmore" Lavatory



F-145-SA

With patent-overflow.

F-145-SA Complete, with F-2155 compression faucets, F-2175 $\frac{3}{6}$ inch supply pipes, F-2261 lift waste and F-2220 $\frac{1}{4}$ inch "P" trap.

F-145-S With lift waste only.F-145 Lavatory only, for fittings shown.

F-145-SA

F-145-YA

F-145-YA Complete, with F-2155 compression faucets, F-2175 3% inch supply pipes, F-2245 secret waste and F-2242 1½ inch "P" trap.

F-145-Y With secret waste only.

F-145-Z Lavatory only, for fittings shown.



F-145-YA

Dimensions shown on preceding page.

Can be furnished with fittings as shown on any of our other lavatories

The "Stanmore" Lavatory



The "Stanmore"

KOHLER_Enameled ONE PIECE "Stanmore" Lavatory with patent overflow, on enameled round pedestal.

Dimensions


Nominal sizes	20	x28	24	x34	inches
Actual sizes	201	2x281/4	231	2x3334	inches
American basin, rear outlet	12	x15	14	x18	inches
Depth of apron		5		5	inches

F-161-PA Complete, with F-2126 combination compression supply and lift waste fixture, F-2175 3/8 inch supply pipes and F-2220 1½ inch "P" trap.

F-161-P With combination fixture only.

F-161 Lavatory only, for fixture shown.

The "Stanmore" Lavatory



F-161-SA

F-161-SA

With patent overflow.

F-161-SA Complete, with F-2155 compression faucets, F-2175 3/4 inch supply pipes, F-2261 lift waste and F-2220 11/4 inch "P" trap.

F-161-S With lift waste only.F-161 Lavatory only, for fittings shown.

F-161-WA

F-161-WA Complete, with F-2130 combination compression supply and secret waste fixture, F-2175 3/8 inch supply pipes and F-2242 11/4 inch "P" trap.

F-161-W With combination fixture only.

F-161-X Lavatory only, for fixture shown.



F-161-WA

Dimensions shown on preceding page.

Can be furnished with fittings as shown on any of our other lavatories



The "Columbia"

KOHLER Enameled ONE PIECE "Columbia" Lavatory with patent over-flow, on enameled square pedestal.

Dimensions

Nominal sizes	20 ×24	22227	inches
Actual sizes	$20\frac{3}{4}x24$	22x27	inches
American basin, rear outlet			
Depth of apron	. 5	5	inches

F-205-PA Complete, with F-2126 combination compression supply and lift waste fixture, F-2175 $\frac{3}{8}$ inch supply pipes and F-2220 $\frac{11}{4}$ inch "P" trap.

F-205-P With combination fixture only.

F-205 Lavatory only, for fixture shown.

When ordering specify number and size

Can be furnished with fittings as shown on any of our other lavatories



F-205-SA

F-205-SA

With patent overflow.

F-205-SA Complete, with F-2155 compression faucets, F-2175 $\frac{3}{8}$ inch supply pipes, F-2261 lift waste and F-2220 $1\frac{1}{4}$ inch "P" trap.

F-205-S With lift waste only. F-205 Lavatory only, for fittings shown.

F-205-VA

With patent overflow.

F-205-VA Complete, with F-2155 compression faucets, F-2175 $\frac{3}{8}$ inch supply pipes, F-2220 $\frac{1}{4}$ inch "P" trap, F-2305 waste plug and chain stay bolt

F-205-V With chain stay bolt only.

F-205 Lavatory only, for fittings shown.



F-205-VA

Dimensions shown on preceding page.

Can be furnished with fittings as shown on any of our other lavatories



The "Columbia"

KOHLER Enameled ONE PIECE "Columbia" Lavatory in a battery of three, with patent overflow, on enameled square pedestal. Complete with F-2161 self-closing faucets, F-2175 3% inch supply pipes, F-2220 1¼ inch "P" trap, F-2305 waste plug and chain stay bolt.

Dimensions

Nominal sizes	20 x24	22x27	inches
Actual sizes	$20\frac{3}{4}x24$	22x27	inches
American basin, rear outlet	2 x15	14x18	inches
Depth of apron	5	5	inches

F-205-VB One lavatory, as described.
 F-205-V Lavatory only, with chain stay bolt.
 F-205 Lavatory only, for fittings shown.

When ordering specify number and size

Can be furnished with fittings as shown on any of our other lavatories



F-210-S

F-210-S

K OHLER Enameled ONE PIECE "Columbia" Lavatory, with patent overflow, on enameled concealed brackets. Fitted with F-2261 lift waste.

F-210-S As described.F-210 Lavatory only, for fittings shown.

F-210-V

KOHLER Enameled ONE PIECE "Columbia" Lavatory, with patent overflow, on enameled concealed [brackets. Fitted with chain stay bolt.

F-210-V As described.

F-210 Lavatory only, for fittings shown.



F-210-V

Dimensions

Nominal sizes	16 x20	20 x24	22x27	inches
Actual sizes				
American basin, rear outlet				
Depth of apron	5	5	5	inches

The "Bevo" Lavatory



The "Bevo"

(Name Reg. U. S. Pat. Office)

KOHLER Enameled ONE PIECE "Bevo" Lavatory in a battery of three for building $\frac{7}{8}$ inch into wall, with two enameled soap cups cast in slab, draining into basin, and built in hanger flange, on enameled hexagonal leg standard. Fitted with concealed supply and lift waste fixture with $\frac{3}{8}$ inch mixer, china handle and escutcheon.

Dimensions

Nominal size	
Actual size	inches
American basin, rear outlet	inches
Depth of apron	inches

F-271-FB One lavatory, as described. F-271 Lavatory only, for fixture shown.

Supplies to mixer should be fitted with stops to regulate flow of water. Mixer may also be placed above waste handle. Built in supply fixture shown can be furnished with lift waste through slab to one side of spout instead of wall, and also with chain stay on spout for plug and chain in place of lift waste.

When ordering specify number

Can be furnished with fittings as shown on any of our other lavatories

The "Bevo" Lavatory

(Name Reg. U. S. Pat. Office)



F-271-F

F-271-F

KOHLER Enameled ONE PIECE "Bevo" Lavatory, for building 1/8 inch into wall, with two enameled soap cups cast in slab, draining into basin, patent overflow and built in hanger flange, on enameled hexagonal leg standard. Fitted with combination built in supply and lift waste fixture with 3/8 inch mixer and supply connections for iron pipe, china handles and escutcheon.

Supplies to mixer should be fitted with stops to regulate flow of water. Mixer may also be placed above waste handle,

F-271-F As described.
F-271 Lavatory only, for fixture shown.

F-272-P

KOHLER Enameled ONE PIECE "Bevo" Lavatory, for building % inch into wall, with two enameled soap cups cast in slab, draining into basin, patent overflow and built in hanger flange. Fitted with combination built in supply and lift waste fixture with compression valves and supply connections for 3% inch iron pipe, china handles and escutcheon.

F-272-P As described.
F-272 Lavatory only, for fixture shown.



F-272-P

Built in supply fixtures above shown can be furnished with lift waste through slab to one side of spout instead of wall, also with chain stay on spout or through slab for plug and chain in place of lift waste. Valves in above fixtures have renewable seats.

Dimensions shown on preceding page.

Can be furnished with fittings as shown on any of our other lavatories

The "Bevo" Lavatory (Name Reg. U. S. Pat. Office)


F-275-P

 $K_{
m PIECE}^{
m OHLER}$ Enameled ONE PIECE "Bevo" Lavatory for building 1/8 inch into wall, with two enameled soap cups cast in slab, draining into basin, patent overflow and built in hanger flange, on enameled hexagonal leg standard. Fitted with F-2126 combination compression supply and lift waste fixture.

F-275-P As described. Lavatory only, for fix-F-275 ture shown.



F-275-P



F-276

F-276

 $K_{\text{ PIECE "Bevo" Lavatory}}^{\text{OHLER Enameled ONE}}$ for building 7_8 inch into wall, with two enameled soap cups cast in slab, draining into basin, patent overflow and built in hanger flange. Fitted with chain stay

F-276 As described.

Dimensions shown on next page.

When ordering specify number

Can be furnished with fittings as shown on any of our other lavatories

The "Bevo" Lavatory



The "Bevo" (Name Reg. U. S. Pat. Office)

 $K^{\rm OHLER}$ Enameled ONE PIECE "Bevo" Lavatory in a battery of three, for building $7\!\!/\!\!_8$ inch into wall, with two enameled soap cups cast in slab, draining into basin, and built in hanger flange. Fitted with chain stay bolt.

Dimensions

Nominal size.		
Actual size		
American basin, rear outlet		
Depth of apron	5	inches

F-276-B One lavatory, as described.

Can be furnished with fittings as shown on any of our other lavatories

The "Emmet" Lavatory



The "Emmet"

KOHLER Enameled ONE PIECE "Emmet" Lavatory in a battery of three, with enameled soap cup cast in slab, draining into the patent overflow, on enameled hexagonal leg standard and concealed hanger. Fitted with chain stay bolt.

Dimensions

NI	1004	20 x24	00	x27	in also
Nominal sizes	18 XZ4	20 X24	22	X41	inches
Actual sizes	$18\frac{3}{4}$ x $24\frac{1}{2}$	$20\frac{1}{2}$ x $24\frac{1}{2}$	23	$x28\frac{5}{8}$	inches
American basin, rear outlet	12 x15	12 x15	14	x18	inches
Height of back	-10	12		12	inches
Depth of apron	5	5		5	inches

F-319-B One lavatory, as described.

The "Emmet" Lavatory



F-332-P

F-332-P

KOHLER Enameled ONE PIECE "Emmet" Lavatory, with patent overflow, on concealed hanger. Fitted with F-2126 combination compression supply and lift waste fixture.

F-332-P As described. F-332-R Lavatory only, for fixture shown.

F-332

KOHLER Enameled ONE PIECE "Emmet" Lavatory, with enameled soap cup cast in slab, draining into the patent overflow, on concealed hanger. Fitted with chain stay bolt.

F-332 As described.



F-332

Dimensions shown on preceding page.

Can be furnished with fittings as shown on any of our other lavatories

The "Abury" Lavatory

F-526

KOHLER Enameled ONE PIECE "Abury" Left Hand corner Lavatory, with enameled soap cup cast in slab, draining into the patent overflow, on concealed hanger. Fitted with chain stay bolt.

F-526 As described.



F-526



F-528-UO

KOHLER Enameled ONE PIECE Right Hand corner Lavatory, with enameled soap cup cast in slab, draining into the patent overflow, on concealed hanger. Fitted with F-2271 lift waste.

F-528-UO As described. F-528-U Lavatory only, for fittings shown.

F-528-UO

Dimensions

Nominal sizes	18 x24	20 x24	inches
Actual sizes		$20\frac{1}{4}$ x $24\frac{1}{4}$	inches
American basin, rear outlet	12 x15	12 x15	inches
Height of back		12	inches
Depth of apron	5	5	inches

When ordering specify number

Can be furnished with fittings as shown on any of our other lavatories

The "Alco" Lavatory



F-560-UO

KOHLER Enameled ONE PIECE "Alco" Recess Lavatory, with enameled soap cup cast in slab, draining into the patent overflow, on concealed hangers. Fitted with F-2271 lift waste.

F-560-UO As described. F-560-U Lavatory only, for fittings shown.

F-560-UO

F-560

KOHLER Enameled ONE PIECE "Alco" Recess Lavatory, with enameled soap cup cast in slab, draining into the patent overflow, on concealed hangers. Fitted with chain stay bolt.

F-560 As described.



F-560

Dimensions

Nominal sizes	18	x24	20	x26	inches
Actual sizes	183/	(x24 3/ε	201/	$2 \times 26 \frac{1}{4}$	inches
American basin, rear outlet	12	x15	12	x15	inches
Height of back		$7\frac{1}{2}$		8	inches
Depth of apron		5			inches

Can be furnished with fittings as shown on any of our other lavatories

The "Bretton" Lavatory



The "Bretton"

(Name Reg. U. S. Pat. Office)

KOHLER Enameled ONE PIECE "Bretton" Lavatory in a battery of three, with enameled soap cup cast in slab, draining into the patent overflow, on concealed hanger. Fitted with chain stay bolt.

Dimensions

	"Bretton"				"C		
Nominal sizes	18	x21	19 x2	24	17	x19	inches
Actual sizes				$24\frac{1}{2}$	171	4x19½	inches
American basin, rear outlet			12x1	.5	1	1x14	inches
Height of back		8	1	10		$6\frac{1}{2}$	inches
Depth of apron		$4\frac{3}{4}$		5		4	inches

F-580-B "Bretton" One lavatory, as described.
F-582-B "Cecil" One lavatory, as described.

When ordering specify number and size

Can be furnished with fittings as shown on any of our other lavatories, except "Cecil" lavatory cannot be furnished with combination supply and secret waste fixture

The "Bretton" Lavatory

(Name Reg. U. S. Pat. Office)



F-580-UO

F-580-UO

KOHLER Enameled ONE PIECE "Bretton" Lavatory, with enameled soap cup cast in slab, draining into the patent overflow, on concealed hanger. Fitted with F-2271 lift waste.

F-580-UO As described. F-580-U Lavatory only, for fittings shown.

F-580

KOHLER Enameled ONE PIECE "Bretton" Lavatory, with enameled soap cup cast in slab, draining into the patent overflow, on concealed hanger. Fitted with chain stay bolt.

F-580 As described.



F-580

Dimensions shown on preceding page.

Can be furnished with fittings as shown on any of our other lavatories

The "Cecil" Lavatory

F-582

KOHLER Enameled ONE PIECE "Cecil" Lavatory, with enameled soap cup cast in slab, draining into the patent overflow, on concealed hanger. Fitted with chain stay bolt.

F-582 As described.



F-582

The "Narobol" Lavatory



F-604-UO

KOHLER Enameled QNE PIECE "Narobol" Lavatory, with two enameled soap cups cast in slab, draining into the bowl, patent overflow, on concealed hanger. Fitted with F-2271 lift waste with china lever handle. Designed for installation in narrow rooms, halls, etc., where the space in front of lavatory is limited.

F-604-UO As described. F-604-U Lavatory only, for fittings shown.

F-604-UO

Dimensions					
		"Cecil"	"n	Varobol'	,
Nominal size	17	x19	13	x26	inches
Actual size	17	$\frac{1}{4}$ x19 $\frac{1}{2}$	131	$4x26\frac{1}{2}$	inches
American basin, rear outlet					inches
Oval basin, center outlet			10	$x16\frac{1}{2}$	inches
Height of back		$6\frac{1}{2}$		4	inches
Depth of apron		4		4	inches

When ordering specify number

Can furnish "Cecil" lavatory with fittings as shown on any of our other lavatories, except combination supply and secret waste fixture, and can furnish "Narobol" lavatory for plug and chain

The "Narobol" Lavatory



The "Narobol"

KOHLER Enameled ONE PIECE "Narobol" Lavatory in a battery of three, with two enameled soap cups cast in slab, draining into the bowl, patent overflow, on concealed hanger. Fitted with chain stay bolt. Designed for installation in narrow rooms, halls, etc., where the space in front of lavatory is limited.

Dimensions

Nominal size	
Actual size	inches
Oval basin, center outlet	inches
Height of back4	inches
Depth of apron	inches

F-604-B One lavatory, as described.

The "Clare" Lavatory



The "Clare"

 K^{OHLER} Enameled ONE PIECE "Clare" Lavatory in a battery of three, with enameled soap cup cast in slab, draining into the patent overflow, on concealed hanger. Fitted with chain stay bolt.

Dimensions

	"Clare"	"Moore"	
Nominal sizes	18 x21	17 x19	inches
Actual sizes	$18\frac{3}{4}$ x21\frac{1}{4}	$17\frac{1}{4}x19\frac{1}{2}$	inches
American basin, rear outlet	11 x14	11 x14	
Height of back	8	6	inches

F-608-B "Clare" One lavatory, as described. F-614-B "Moore" One lavatory, as described.

When ordering specify number

Can be furnished with fittings as shown on any of our other lavatories except "Moore" lavatory cannot be furnished with combination supply and secret waste fixture

The "Clare" Lavatory



F-608

KOHLER Enameled ONE PIECE "Clare" Lavatory, with enameled soap cup cast in slab, draining into the patent overflow, on concealed hanger. Fitted with chain stay bolt.

F-608 As described.

F-608

The "Moore" Lavatory

F-614

KOHLER Enameled ONE PIECE "Moore" Lavatory, with enameled soap cup cast in slab, draining into the patent overflow, on concealed hanger. Fitted with chain stay bolt.

F-614 As described.



F-614

Dimensions shown on preceding page.

Can be furnished with fittings as shown on any of our other lavatories except "Moore" lavatory cannot be furnished with combination supply and secret waste fixture

The "Osborne" Lavatory

F-672-S

KOHLER Enameled ONE PIECE "Osborne" Corner Lavatory, with enameled soap cup cast in slab, draining into the patent overflow, on concealed hangers. Fitted with F-2261 lift waste.

F-672-S As described.F-672-T Lavatory only, for fittings shown.



F-672-S



F-672

KOHLER Enameled ONE PIECE "Osborne" Corner Lavatory, with enameled soap cup cast in slab, draining into the patent overflow, on concealed hangers. Fitted with chain stay bolt.

F-672 As described.

F-672

Dimensions

Length on side, nominal size	19	inches
Length on side, actual size	19	inches
American basin, rear outlet	11x14	inches
Height of back	8	inches
Extreme width		inches
Corner to front	22	inches
Depth of apron	5	inches

When ordering specify number

Can be furnished with fittings as shown on any of our other lavatories except combination supply and secret waste fixture

The "Kenneth" Lavatory



F-690-P

KOHLER Enameled ONE PIECE "Kenneth" Corner Lavatory, with patent overflow. Fitted with F-2126 combination compression supply and lift waste fixture.

F-690-P As described.F-690-R Lavatory only, for fixture shown.

F-690-P

F-690

KOHLER Enameled ONE PIECE "Kenneth" Corner Lavatory, with enameled soap cup cast in slab, draining into the patent overflow, on concealed hangers. Fitted with chain stay bolt.

F-690 As described.



F-690

Dimensions

Length on side, nominal size	$16\frac{1}{2}$	inches
Length on side, actual size	$16\frac{3}{4}$	inches
American basin, rear outlet	1x14	inches
Height of back	6	inches
Extreme width	$23\frac{3}{4}$	inches
Corner to front	22	inches
Depth of apron	5	inches

Can be furnished with fittings as shown on any of our other lavatories except combination supply and secret waste fixture

The "Kennedy" Lavatory

F-732

KOHLER Enameled ONE PIECE "Kennedy" Corner Lavatory, with enameled soap cup cast in slab, draining into the patent overflow, on concealed hangers. Fitted with chain stay bolt.

F-732 As described.



F-732

The "Midget" Lavatory

F-752

KOHLER Enameled ONE PIECE "Midget" Lavatory with patent overflow, on concealed hanger. Fitted with chain stay bolt.

F-752 As described.



F-752

The "Bijou" Lavatory

F-762

KOHLER Enameled ONE PIECE "Bijou" Lavatory with enameled soap cup cast in slab, draining into the patent overflow, on concealed hangers. Fitted with chain stay bolt.

F-762 As described.



F-762

Dimensions

"Kennedy Nominal size 16½ inches Length Actual size 16¼ inches on side	14 inches wide 15½x14½	"Bijou" 15 inches\Length 15¾ inches∫on side
Oval basin, center outlet 11x14		inches
Round basin, center outlet	12	12 inches
Height of back	5	5 inches
Extreme width	,	22½ inches
Corner to front		19½ inches

Can furnish "Kennedy" and "Bijou" Lavatories with fittings as shown on any of our other lavatories excepting combination supply and secret waste fixture. "Midget" Lavatory can be furnished with lift waste through back

The "Chillon" Lavatory



F-766-A

KOHLER Enameled ONE PIECE "Chillon" Prison Lavatory, with enameled soap cup cast in slab on right hand side, draining into the patent overflow. Fitted with built in nickel plated brass push button supply fixture with \$\%\$ inch iron pipe male threaded inlet. Outlet in bowl has 1 inch iron pipe female thread.

F-766-A As described.F-766 Lavatory only, for fixture shown.

F-766-A

F-768-A

KOHLER Enameled ONE PIECE "Chillon" Prison Lavatory, with enameled soap cup cast in slab on left hand side, draining into the patent overflow. Fitted with built in nickel plated brass push button supply fixture with $\frac{3}{8}$ inch iron pipe male threaded inlet. Outlet in bowl has 1 inch iron pipe female thread.

F-768-A As described.

F-768 Lavatory only, for fixture shown.



F-768-A

Dimensions	
Length of back	inches
Wall to front	
American basin, rear outlet	inches
Height of back	inches

Can be furnished all over enameled

The "Dental" Lavatory

F-771-A

KOHLER Enameled ONE PIECE "Dental" Lavatory, with depressed tumbler holder, onenameled square pedestal. Fitted with F-2157 faucet with china handle, F-2220 1½ inch "P" trap and special waste plug.

F-771-A As described.
F-771 Lavatory, with waste plug only.



F-771-A

The "Sanita" Lavatory

THLER T

F-776-A

KOHLER Enameled ONE PIECE "Sanita" Dental Lavatory, with depressed tumbler holder, on concealed hanger. Fitted with F-2157 faucet with china handle, F-2220 1½ inch "P" trap and special waste plug.

Can be furnished all over enameled.

F-776-A As described.
F-776 Lavatory, with waste plug only.

F-776-A

	Dimensions		
	é	"Dental"	"Sanita"
Nominal size		. 12 x13	12x13 inches
Actual size		. 121/4x13	12x13 inches
Oval basin, center outlet		. 7 x 9	7x 9 inches
Depth of apron			inches
Height of back			5 inches
Floor to top of rim		. 36	inches

The "Filmore" Lavatory



F-779-Y

KOHLER Enameled ONE PIECE "Filmore" Barbers' Lavatory, on enameled round pedestal. Fitted with F-2155 compression faucets, shampoo with built in $\frac{3}{8}$ inch mixer, and supply connections for iron pipe, controlling valve, hose and spray, china handles and escutcheons and F-2245 secret waste.

F-779-YA As described.

F-779-Y With secret waste only.

F-779 Lavatory only, for fittings shown.

F-779-Y

The "Belmore" Lavatory

F-785-Y

KOHLER Enameled ONE PIECE "Belmore" Barbers' Lavatory, on enameled square pedestal. Fitted with nickel plated brass combination basin and shampoo fixture with \(^3\)\% inch mixer, compression faucets and controlling valve, hose and spray, china handles and F-2245 secret waste.

F-785-YA As described.

F-785-Y With secret waste only.

F-785 Lavatory only, for fittings shown.



F-785-Y

Dimensions

	"File	more''	"Beln	nore''	
Nominal sizes		24 x34	20 x28	24 x34	inches
Actual sizes		$24\frac{1}{4}x33\frac{3}{4}$	$20\frac{1}{8}$ x $28\frac{1}{8}$	$23\frac{7}{8}x34$	inches
American basin, rear outlet.	12 x15	14 x18	12 x15	14 x18	inches
Depth of apron	$4\frac{1}{2}$	$4\frac{1}{2}$	$4\frac{1}{2}$	$4\frac{1}{2}$	inches

Can be furnished with fittings as shown on any of our other barbers' lavatories

The "Stanmore" Lavatory

F-787-Y

KOHLER Enameled ONE PIECE "Stanmore" Barbers' Lavatory, on enameled round pedestal. Fitted with nickel plated brass combination basin and shampoo fixture with compression faucets, stop and controlling valves, hose and spray and F-2245 secret waste.

F-787-YA As described.
F-787-Y With secret waste only.
F-787 Lavatory only, drilled for fittings shown.



F-787-Y

The "Columbia" Lavatory



F-789-VA

F-789-VA

KOHLER Enameled ONE PIECE "Columbia" Barbers' Lavatory, with patent overflow, on enameled square pedestal. Fitted with F-2167 quick acting compression basin and shampoo mixing faucet, hose and spray and chain stay bolt.

F-789-VA As described.
F-789-V With chain stay bolt only.
F-789 Lavatory only, for fittings shown.

Dimensions

		more''	"Colur	nbia''	
Nominal sizes	20 x28	24 x34	20 x24	22x27	inches
Actual sizes	$20\frac{1}{2}$ x28\frac{1}{4}	23½x33¾	$20\frac{3}{4}x24$	22x27	inches
American basin, rear outlet	12 x15	14 x18	12 x15		
Depth of apron	5	5	5		inches

When ordering specify number and size

Can be furnished with fittings as shown on any of our other barbers' lavatories

The "Seville" Lavatory



The "Seville"

KOHLER Enameled ONE PIECE "Seville" Double Bowl Barbers' Lavatory, with two enameled soap cups cast in slab, draining into the overflows, on two enameled round pedestals. Fitted with F-2169 quick acting compression shampoo mixing faucet with hose and spray, F-2155 compression faucets, 3% inch special combination hot and cold water supply pipes, supplying basin and shampoo faucets, F-2305 waste plugs, F-2243 1¼ inch deep seal "P" traps, special double connection, 1½ inch waste to floor and chain stay bolts.

Can be furnished with fittings as shown on any of our other barbers' lavatories, and with loop vent or vent connection only on double waste connection.

Dimensions

Nominal size	26x46	inches
Actual size	$26x45\frac{1}{2}$	inches
American basins, rear outlets	14x18	inches
Depth of apron	5	inches

F-791-A As described.

F-791 Lavatory, with chain stay bolts only.

The "Seville" Lavatory



The "Seville"

KOHLER Enameled ONE PIECE "Seville" Double Bowl Barbers' Lavatory, on two enameled round pedestals. Fitted with F-2167 quick acting compression shampoo mixing faucet with hose and spray, F-2155 compression faucets, $\frac{3}{8}$ inch special combination hot and cold water supply pipes, supplying basin and shampoo faucets, F-2245 secret wastes, F-2243 $1\frac{1}{4}$ inch deep seal "P" traps, special double connection and $1\frac{1}{2}$ inch waste to floor.

Can be furnished with fittings as shown on any of our other barbers' lavatories, and with loop vent or vent connection only on double waste connection.

Dimensions

Nominal size	26x46	inches
Actual size		
American basins, rear outlets		
Depth of apron	5	inches

F-791-YA As described.

F-791-Y With secret wastes only.

F-791-Z Lavatory only, for fittings shown.

The "Beaufort" Lavatory



The "Beaufort"

KOHLER Enameled ONE PIECE "Beaufort" Double Bowl Barbers' Lavatory, with four enameled soap cups cast in slab, draining into the basins, on two enameled square pedestals. Fitted with F-2169 quick acting compression shampoo mixing faucet with hose and spray, F-2155 compression faucets, $\frac{3}{8}$ inch special combination hot and cold water supply pipes, supplying basin and shampoo faucets, F-2305 waste plugs, F-2243 $1\frac{1}{4}$ inch deep seal "P" traps, special double connection, $1\frac{1}{2}$ inch waste to floor and chain stay bolts.

Can be furnished with fittings as shown on any of our other barbers' lavatories, and with loop vent or vent connection only on double waste connection.

Dimensions

Nominal size	26	x46	inches
Actual size	261	$2 \times 46 \frac{1}{4}$	inches
American basins, rear outlets	14	x18	inches
Depth of apron		5	inches

F-793-A As described.

F-793 Lavatory, with chain stay bolts only.

The "Beaufort" Lavatory



The "Beaufort"

KOHLER Enameled ONE PIECE "Beaufort" Double Bowl Barbers' Lavatory, with four enameled soap cups cast in slab, draining into the basins, on two enameled square pedestals. Fitted with F-2169 quick acting compression shampoo mixing faucet with hose and spray, F-2155 compression faucets, $\frac{3}{8}$ inch special combination hot and cold water supply pipes, supplying basin and shampoo faucets, F-2245 secret wastes, F-2243 $\frac{11}{4}$ inch deep seal "P" traps, special double connection and $\frac{11}{2}$ inch waste to floor.

Can be furnished with fittings as shown on any of our other barbers' lavatories, and with loop vent or vent connection only on double waste connection.

Dimensions

Nominal size	26 x46	inches
Actual size		
American basins, rear outlets		
Depth of apron	5	inches

F-793-YA As described.

F-793-Y With secret wastes only.

F-793-Z Lavatory only, for fittings shown.

The "Bevo" Lavatory



F-797-F

F-797-A

KOHLER Enameled ONE PIECE "Bevo" Barbers' Lavatory, for building ½ inch into wall, with two enameled soap cups cast in slab, draining into the basin, patent overflow, and concealed hanger flange, on enameled hexagonal leg standard. Fitted with built in basin and shampoo fixture with compression stop and controlling valves, supply connections for ¾ inch iron pipe, china handles and escutcheons, hose and spray, and chain stay bolt on spout.

F-797-A As described.F-797 Lavatory only, for fixture shown.

F-797-F

KOHLER Enameled ONE PIECE "Bevo" Barbers' Lavatory for building ½ inch into wall, with two enameled soap cups cast in slab, draining into the basin, patent overflow, and concealed hanger flange, on enameled hexagonal leg standard. Fitted with built in basin, shampoo and lift waste fixture, ½ inch mixer and supply connections for iron pipe, compression stop and controlling valves, china handles and escutcheons, hose and spray.

F-797-F As described.F-797 Lavatory only, for fixture shown.



F-797

Dimensions

Nominal size	 19 x24	inches
Actual size	 $19\frac{1}{2}x24$	inches
American basin, rear outlet	 12 x15	inches
Depth of apron	 5	inches

Built in supply fixture above shown can be furnished with lift waste through slab to one side of spout instead of wall, also with chain stay on spout or through slab for plug and chain in place of lift waste. Supplies should be fitted with check valves.

The "Stanmore" Lavatory

F-800-YA

KOHLER Enameled ONE PIECE "Stanmore" Barbers' Lavatory, on enameled concealed brackets. Fitted with nickel plated brass combination basin and shampoo fixture with % inch mixer, compression faucets and controlling valve, hose and spray, china handles and F-2245 secret waste.

F-800-YA As described.

F-800-Y With secret waste only.

F-800-Z Lavatory only, for fittings shown.



F-800-YA



F-800-VA

KOHLER Enameled ONE PIECE "Stanmore" Barbers' Lavatory, with patent overflow, on enameled concealed brackets. Fitted with F-2167 quick acting compression basin and shampoo mixing faucet, hose and spray, and chain stay bolt.

F-800-VA As described.

F-800-V Lavatory, with chain stay bolt only.

F-800 Lavatory only, for fittings shown.


F-800-VA

Dimensions

Nominal sizes	20 x28	24 x34	inches
Actual sizes	$20\frac{1}{2}$ x $28\frac{1}{4}$	23½x33¾	inches
American basin, rear outlet	12 x15	14 x18	inches
Depth of apron	5	5	inches

When ordering specify number and size

Can be furnished with fittings as shown on any of our other barbers' lavatories



F-802-A

The "Bretton" Lavatory

F-804-A

KOHLER Enameled ONE PIECE "Bretton" Barbers' Lavatory, with enameled soap cup cast in slab, draining into the patent overflow, on concealed hanger. Fitted with F-2165 quick acting compression shampoo mixing faucet, hose and spray, and chain stay bolt.

F-804-A As described.
F-804 Lavatory, with chain stay bolt only.

The "Emmet" Lavatory

F-802-A

KOHLER Enameled ONE PIECE "Emmet" Barbers' Lavatory, with enameled soap cup cast in slab, draining into the patent overflow, on concealed hanger. Fitted with F-2165 quick acting compression shampoo mixing faucet, hose and spray, and chain stay bolt.

F-802-A As described.
F-802 Lavatory, with chain stay bolt only.



F-804-A

	Di	mensions			
	"Emmet"		"Bret	ton''	
Nominal sizes . 18 x24 Actual sizes 183/4x241/2 American basin,	$\begin{array}{cc} 20 & x24 \\ 20\frac{1}{2}x24\frac{1}{2} \end{array}$	22x27 23x28 ⁵ / ₈	18 x21 18 ³ / ₈ x21 ⁵ / ₈	19 x24 19½x24½	inches inches
rear outlet . 12 x15 Height of back . 10 Depth of apron 5	12 x15 12 5	14x18 12 5	11 x14 8 4 ³ ⁄ ₄	12 x15 10 5	inches inches inches

The "Burlington" Lavatory



The "Burlington"

 K^{OHLER} Enameled ONE PIECE "Burlington" Four Double Section Lavatory, with patent overflow, on painted brackets to floor. Fitted with opaline glass towel shelf on nickel plated brass supports, F-2159 self-closing faucets, special waste plugs, $1\frac{1}{4}$ inch adjustable "P" traps, 2 inch continuous waste pipe with vent connection, and chain stay bolts. Pipe and fittings shown in outline only are not regularly furnished.

Can be furnished in double sections of one or more, and with fittings as shown through slab on any of our other lavatories.

Dimensions


Nominal sizes	16 x20	20x24	inches
Actual sizes	16 x20	20x24	inches
American basin, rear outlet	$9\frac{1}{2}x14$	12x15	inches
Depth of apron	5	5	inches
Space allowed between slabs (rear)	1	1	inch
Space allowed between slabs (side)	$1\frac{1}{4}$	$1\frac{1}{4}$	inches

F-900-VA As described.

F-900-V Lavatories, with towel shelf and chain stay bolts only.

F-900 Lavatories only, for fittings shown.

The "Gary" Lavatory



The "Gary"

Can be furnished in double sections of one or more, with fittings as shown through slab on any of our other lavatories, and with towel shelf as on F-900-VA "Burlington" lavatory.

Dimensions

Nominal size			
Actual size	203/	$8 \times 24 \frac{3}{8}$	inches
Oval basin, center outlet	12	x15	inches
Space allowed between slabs (rear)			
Space allowed between slabs (side)		3/4	inch

F-902-VA As described.

F-902-V Lavatories, with chain stay bolts only. F-902 Lavatories only, for fittings shown.

Lavatory Features



Top View

 K^{OHLER} Depressed Enameled Lavatory Soap Cup and Enameled Vertical Bar Overflow are distinctive improvements and sanitary features. The soap cup is cast in the slab and enameled, with an opening in it, draining into the overflow.

All metal parts are eliminated, leaving a smooth white enameled surface without any joints or crevices for dirt or sediment to lodge.

The flare shaped construction of the waste outlet has greatly reduced the danger of the enamel cracking or chipping off.



Sectional View

Lavatory and Lift Waste



Lift Waste with Handle Operating through Slab of Lavatory

 $K^{\rm OHLER}$ Nickel Plated Brass Lift Waste is designed to displace the common waste plug with stopper and chain. All parts are so designed that sediment cannot lodge, and no waste water can remain in the plug. The action of the waste is always positive as it is not dependent upon springs or friction to hold the stopper open.

The handle on the waste operating through back of lavatory can be interchanged to harmonize with the various styles of handles for basin faucets.



Lift Waste with Handle Operating through
Back of Lavatory



F-906

KOHLER Enameled ONE PIECE Roll Rim Wash Sink, on concealed hangers, with two nickel plated brass soap dishes and 2 inch beehive strainer and tailpiece.

Can be furnished with 2 inch stopper strainer and chain stay bolt.

Dimensions

Size, length	 60 inches
Wall to front	 20 inches
Width, inside	 15½ inches
Depth, inside	 12 inches
Height of back	 8 inches

F-906 As described.



F-910


KOHLER Enameled ONE PIECE Roll Rim Wash Sink, on concealed hangers, with nickel plated brass soap dish and F-2382 strainer with 1½ inch tailpiece.

Can be furnished with cast patent overflow, and on enameled or painted round adjustable pedestals for setting sink 29 to 32 inches from floor.

Dimensions

Sizes, length		48	60	72	inches
Wall to front		18	18	18	inches
Width, inside					inches
Depth, inside	. 7	7	7	7	inches
Height of back	. 8		8	8	inches
Number of faucets	2	2	3	3	

F-910 As described.




36 inch size

48 inch size

60 inch size

72 inch size



F-914-A

KOHLER Enameled ONE PIECE Roll Rim Wash Sink on enameled round pedestals. Fitted with galvanized end double supply supports, $\frac{3}{4}$ inch supply pipes over center of sink, crosses, nickel plated rough brass quick acting compression mixing faucets with rose spray spout, 2 inch beehive strainer, enameled soap dishes, 2 inch galvanized iron "P" trap with male threaded outlet. Pipe and fittings shown in outline only are not regularly furnished.


Can be furnished with painted instead of enameled pedestals, adjustable standards as shown in F-918-A, supports for 1 inch supplies, and supply and waste arrangements as shown on any of our other wash sinks.

Dimensions

Sizes, length				inches
Number of faucets and soap dishes	4	6	6	
Width over rim			30	inches
Width, inside			$25\frac{1}{2}$	inches
Depth, inside				
Floor to top of rim			30	inches

F-914-A As described.

F-914 Sink with supply supports and strainer only.



F-916-A

KOHLER Enameled ONE PIECE Roll Rim Wash Sink on enameled round adjustable pedestals. Fitted with galvanized end and center double supply supports, supply pipes over center of sink, crosses, nickel plated rough brass quick acting compression mixing faucets with rose spray spout, 2 inch beehive strainer, enameled soap dishes, and 2 inch galvanized iron "P" trap with male threaded outlet. Pipe and fittings shown in outline only are not regularly furnished.

Can be furnished with painted instead of enameled pedestals, and supply and waste arrangements as shown on any of our other wash sinks.



Method of connecting wastes of F-916-A wash sinks in batteries

Dimensions

Sizes, length	48	60	72	84	96	inches
Size of supply pipes	3/4	$\frac{3}{4}$	$\frac{3}{4}$	1	1	inch
Number of faucets						
and soap dishes	4	6	6	8	8	
Width over rim					30	inches
Width inside					26	inches
Depth inside at outle	et				8	inches
Floor to top of rim.					30	inches

F-916-A As described.

F-916 Sink with supply supports and strainer only.



F-918-A

KOHLER Enameled ONE PIECE Roll Rim Wash Sink on painted adjustable standards. Fitted through rim with ½ inch galvanized supply pipes for hot and cold water, with special rim flanges and washers, ½ inch brass check and controlling valves, ¾ inch mixing laterals reduced to ½ inch at ends over center of sink, with six ½ inch finished brass compression bibbs, six enameled soap dishes, 1½ inch painted iron "P" trap with iron pipe female threaded outlet and F-2382 1½ inch strainer. Pipe and fittings shown in outline only are not regularly furnished.

Can be furnished with round pedestals as shown in F-914-A and with supply and waste arrangements as shown on any of our other wash sinks.

Dimensions


Sizes, length	72	inches
Width over rim	27	inches
Width, inside	$22\frac{1}{2}$	inches
Depth, inside.	6	inches

Floor to top of rim adjustable from 29 to 34 inches.

F-918 As described.

F-918 Sink with strainer only, for fittings shown.

Above installation is designed for using sinks from sides and ends. Water may be tempered at sink. All sizes of sinks are regularly furnished with six bibbs, spread in proportion to size of sink. Hot water connection should be made on vent pipe side as illustrated; if connected otherwise, hot water pipe should be supplied with asbestos or other covering to protect arms of user.



F-918-G

KOHLER Enameled ONE PIECE Roll Rim Wash Sink, in a battery of three, on painted adjustable standards. Fitted with galvanized center supply support threaded for ¾ inch top supply and fitted over center of sink with ¾ inch galvanized lateral supplies reduced to ½ inch at ends, six ½ inch finished brass compression bibbs, four liquid soap dispensers, 1½ inch painted iron "P" trap with iron pipe female threaded outlet, and F-2382 1½ inch strainer. Pipe and fittings shown in outline only are not regularly furnished.

Can be furnished with round pedestals as shown in F-914-A, and with supply and waste arrangements as shown on any of our other wash sinks.


Dimensions

Sizes, length	72	inches
Width over rim		
Width, inside	$22\frac{1}{2}$	inches
Depth, inside	6	inches
Floor to top of rim adjustable from 29 to 34 inches.		

F-918-G One sink as described.

 $\textbf{F-918-H} \quad \text{One sink with threaded supply support and strainer only.}$

Above installation is designed for using sinks from sides and ends. Water may be tempered at sink. All sizes of sinks are regularly furnished with six bibbs, spread in proportion to size of sink. Supply for each sink should be fitted with check valve.



F-918-J

KOHLER Enameled ONE PIECE Roll Rim Wash Sink, in a battery of three, on painted adjustable standards. Fitted with galvanized center supply support threaded for ¾ inch top supply and fitted over center of sink with ¾ inch galvanized lateral supplies, reduced to ½ inch at ends, six ½ inch finished brass compression bibbs, six enameled soap dishes, 1½ inch painted iron "P" trap with iron pipe female threaded outlet and F-2382 1½ inch strainer. Pipe and fittings shown in outline only are not regularly furnished.

Can be furnished with round pedestals as shown in F-914-A, and with supply and waste arrangements as shown on any of our other wash sinks.

Dimensions


Sizes, length			
Width over rim			
Width, inside	 	$22\frac{1}{2}$	inches
Depth, inside	 	6	inches

Floor to top of rim adjustable from 29 to 34 inches.

F-918-J One sink as described.

F-918-K One sink with threaded supply support and strainer only.

Above installation is designed for using sinks from sides and ends and for supplying sinks with water of one temperature. All sizes of sinks are regularly furnished with six bibbs, spread in proportion to size of sink. Supply should be fitted with check valve. To prevent tampering with adjustments, controlling valves near sinks should have loose keys or handles.



F-918-N

KOHLER Enameled ONE PIECE Roll Rim Wash Sink, in a battery of three, on painted adjustable standards. Fitted with galvanized end supply supports, ¾ inch galvanized supply pipe over center of sink, ½ inch finished brass compression bibbs, enameled soap dishes, 1½ inch painted iron "P" trap with iron pipe female threaded outlet and F-2382 1½ inch strainer. Pipe and fittings shown in outline only are not regularly furnished. One sink of each size is illustrated above to show arrangement of supply and bibbs.

Can be furnished with round pedestals as shown in F-914-A, and with supply and waste arrangements as shown on any of our other wash sinks.

Dimensions

Sizes, length			
Number of faucets and soap dishes			
Width over rim	 	27	inches
Width, inside			
Depth, inside	 	6	inches

Floor to top of rim adjustable from 29 to 34 inches.

F-918-N One sink with fittings as described.

F-918-P One sink with pipe supports and strainer only.

Above installation is designed for using sinks from sides only, and for supplying sinks with water of one temperature. Supply should be fitted with check valve. To prevent tampering with adjustments, controlling valves near sinks should have loose keys or handles.

The "Wabash"

F-951-FA

KOHLER Enameled "Wabash" Drinking Fountain with integral waste strainer, on enameled hexagonal pedestal. Complete with F-2324 china non-squirting stream jet with nickel plated brass self-closing valve and flow regulator, adjustable for a continuous flow of water, and F-2334 galvanized iron combined supply and waste pipes to floor.

Dimensions

Sizes floor to top of rim	30	36	inches
Diameter of bowl (outside)		$15\frac{5}{8}$	inches
Depth of bowl (inside)		31/2	inches

F-951-FA As described.

F-951-F Fountain, with jet valve only.

F-951 Fountain only, for fittings described.



F-951-FA

IKOHLER

F-951-GA

F-951-GA

KOHLER Enameled "Wabash" Drinking Fountain with integral waste strainer, on enameled hexagonal pedestal. Complete with F-2327 china non-squirting bubbler with nickel plated self-closing valve and flow regulator, adjustable for a continuous flow of water, and F-2334 galvanized iron combined supply and waste pipes to floor.

Dimensions

Sizes floor to top of rim 30	36	inches
Diameter of bowl (outside)	$15\frac{5}{8}$	inches
Depth of bowl (inside)	$3\frac{1}{2}$	inches

F-951-GA As described.

F-951-G	Fountain, with bubbling valve only.
	Fountain only, for fittings described.

When ordering specify number and size

Can furnish above fountains with inside of bowl only enameled, and also with continuous flow stream jets or bubblers

The "Tulare"



F-955-FA

KOHLER Enameled "Tulare" Drinking Fountain with integral waste strainer, on painted iron stand and base. Complete with F-2329 china non-squirting continuous flow stream jet with nickel plated brass base and flow regulator, and F-2335 galvanized iron combined supply and waste pipes to floor.

Dimensions

Sizes, floor to top of rim 30	36	inches
Diameter of bowl (outside)	9	inches
Depth of bowl (inside)	$2\frac{1}{2}$	inches

F-955-FA	As described.
F-955-F	Fountain with jet only.
F-955	Fountain only for fittings described

F-955-FA

F-955-GA

KOHLER Enameled "Tulare" Drinking Fountain with integral waste strainer, on painted iron stand and base. Complete with F-2331 china non-squirting continuous flow bubbler with nickel plated brass base and flow regulator, and F-2335 galvanized iron combined supply and waste pipes to floor.


Dimensions

Sizes, floor to top of rim 30	36	inches
Diameter of bowl (outside)	9	inches
Depth of bowl (inside)	21/2	inches

F-955-GA As described.

F-955-G Fountain with bubbler only.

F-955 Fountain only, for fittings described.



F-955-GA

Can furnish above fountains with inside of bowl only enameled, and also with self-closing stream jets or bubblers

The "Tahoe" and "Yosemite"

The "Tahoe"

KOHLER All Over Enameled ONE PIECE "Tahoe" Drinking Fountain with integral waste strainer. Complete with special china non-squirting continuous flow bubbler with nickel plated brass base, combined supply and waste connections, reversible supply pipe, loose key stop, waste pipe to wall and supporting flange.

Dimensions

Diameter of bowl (outside) 9 inches Depth of bowl (inside) 2½ inches

> F-957-F As described. F-957 Bowl only.



The "Tahoe"



The "Yosemite"

The "Yosemite"

KOHLER All Over Enameled ONE PIECE "Yosemite" Drinking Fountain with integral waste strainer. Complete with special china non-squirting continuous flow bubbler with nickel plated brass base, combined supply and waste connections, reversible supply pipe, loose key stop, waste pipe to wall and supporting flange.


Dimensions

Diameter of bowl (outside)	9	inches
Depth of bowl (inside)	$2\frac{1}{2}$	inches

F-959-G As described. F-959 Bowl only.

Can furnish above fountains with upper surface only enameled, and with self-closing or continuous flow stream jets or bubblers (self-closing jets have self-closing valve in supply pipe under bowl); also trap to wall instead of waste pipe.

The "Montello"



The "Montello"

KOHLER Enameled ONE PIECE "Montello" Drinking Fountain on concealed brackets. Complete with F-2326 china bubblers and handles, and nickel plated brass self-closing valves with flow regulators adjustable for a continuous flow of water, continuous $\frac{3}{8}$ inch supply pipe with loose key stop, F-2220 $1\frac{1}{4}$ inch "P" trap with strainer and tailpiece.

Dimensions

Sizes, length	30 42	54	inches
Number of bubbling valves			
Width of fountain.			inches
Depth inside, at outlet			
Center to center of bubblers		12	inches

F-961-G As described.

F-961 Fountain, with strainer and tailpiece only.

Can furnish above fountain with either continuous flow bubblers, and self-closing or continuous flow stream jets.

The "Huron"



The "Huron"

KOHLER Enameled ONE PIECE "Huron" Drinking Fountain on concealed hanger. Complete with two F-2317 china stream jets with nickel plated brass swing arms, flow regulators and *china indexed push button* valves, self-closing faucet, F-2220 1½ inch "P" trap with strainer and tailpiece.

Dimensions

Size, length	30	inches
Wall to front	18	inches
Height of back	12	inches
Depth inside, at outlet	6	inches

F-972-F As described.

F-972 Fountain, with strainer and tailpiece only.

Can furnish swing arms on above fountain with china bubblers.

The "Crystal"



F-983-GA

F-983-GA

KOHLER Enameled ONE PIECE "Crystal" Drinking Fountain on concealed brackets. Complete with F-2317 china non-squirting bubbler with nickel plated brass arm and flow regulator, push button valve with china index, F-2220 1¼ inch "P" trap, strainer and tailpiece.

Dimensions

Top of back to bottom of apron	$15\frac{1}{2}$	inches
Width of back	$18\frac{1}{2}$	inches
Wall to front	14	inches
Height of back	12	inches

F-983-GA As described.F-983-G Fountain, less bubbler and trap.

F-983-A

KOHLER Enameled ONE PIECE "Crystal" Drinking Fountain on concealed brackets. Complete with nickel plated brass self-closing faucets, F-2220 1½ inch "P" trap, combination glass holder, strainer and tailpiece.

Dimensions

Top of back to bottom of apron	$15\frac{1}{2}$	inches
Width of back	$18\frac{1}{2}$	inches
Wall to front	14	inches
Height of back	12	inches

F-983-A As described.

F-983 Fountain, less faucet and trap.



F-983-A

The "Geneva"

F-989-F

KOHLER All Over Enameled ONE PIECE "Geneva" Alcove Drinking Fountain. Complete with F-2317 china non-squirting stream jet with nickel plated brass arm, flow regulator and push button valve with china index, F-2242 1½ inch "P" trap and open strainer with offset tailpiece.

Dimensions

Top of back to outlet boss	235/8	inches
Width of back	131/4	inches
Wall to front	77/8	inches
Height of back		
Recess in wall	31/4	inches

F-989-F As described. F-989 Fountain, less jet and trap.



F-989-F

KOHLER

F-989-G

F-989-G

KOHLER All Over Enameled ONE PIECE "Geneva" Alcove Drinking Fountain. Complete with F-2317 china non-squirting bubbler with nickel plated brass arm, flow regulator and push button valve with china index, F-2242 1½ inch "P" trap and open strainer with offset tailpiece.

Dimensions

_	4
Top of back to outlet boss 235/8	inches
Width of back	inches
Wall to front 77/8	inches
Height of back	inches
Recess in wall	inches

F-989-G As described.

F-989 Fountain, less bubbler and trap.

When ordering specify number

Can furnish above fountains with faucet

The "Delayan"



F-995-G

F-995-G

KOHLER All Over Enameled ONE PIECE "Delavan" Flat Back Drinking Fountain on concealed hanger. Complete with F-2317 china non-squirting bubbler with nickel plated brass arm, flow regulator and push button valve with china index, F-2220 1½ inch "P" trap, strainer and tailpiece.

Dimensions

Top of back to outlet boss	24	inches
Width of back	$13\frac{1}{4}$	inches
Wall to front	$10\frac{3}{4}$	inches
Height of back	$18\frac{7}{8}$	inches

F-995-G As described.

F-995 Fountain, less bubbler and trap.

F-995-A

KOHLER All Over Enameled ONE PIECE "Delavan" Flat Back Drinking Fountain on concealed hanger. Complete with nickel plated brass self-closing faucet, F-2220 11/4 inch "P" trap, combination glass holder, strainer and tailpiece.

Dimensions

Top of back to outlet boss		
Width of back	$13\frac{1}{4}$	inches
Wall to front	$10\frac{3}{4}$	inches
Height of back	$18\frac{7}{8}$	inches

F-995-A As described.
F-995 Fountain, less faucet and trap.




F-995-A



Kitchen FV



F-1003-H 20x30 inch Sink with F-2345 ½ inch quick acting compression mixing faucet, F-2349 hose coupling, F-1915 hose, spray and hook, F-2351 quick acting compression faucet, F-2382 strainer with 1½ inch tailpiece and F-2220 1½ inch "P" trap.



F-1003

 K^{OHLER} Enameled ONE PIECE Apron Sink, with two drain boards, on enameled adjustable legs and concealed hangers, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.


Dimensions

Sizes, sink	20x30	22x30	inches
Back		12	inches
Drain boards	20x24	22x24	inches
Apron		6	inches
Length over all			inches
Width over all	$20\frac{1}{4}$	$22\frac{1}{4}$	inches

Floor to top of rim adjustable from 30 to 36 inches.

Can be furnished with special length legs for sink adjustment from 36 to 41 inches, and fittings as shown on any of our other sinks.

F-1003 As described.



F-1003-H

 $K^{\rm OHLER}$ Enameled ONE PIECE Apron Sink, with two drain boards, on enameled adjustable legs and concealed hangers, with F-2345 $1\!\!/_{\!\!2}$ inch quick acting compression mixing faucet with F-2349 hose coupling, F-1915 hose, spray and hook, F-2351 $1\!\!/_{\!\!2}$ inch quick acting compression faucet, and F-2382 strainer with $11\!\!/_{\!\!2}$ inch tailpiece. Faucets shown can be furnished with any of our kitchen sinks.

Dimensions

Sizes, sink	20x30	22x30	inches
Back	12	12	inches
Drain boards	20x24	22x24	inches
Apron	6	6	inches
Length over all	$74\frac{1}{2}$	/ 24	inches
Width over all.	$20\frac{1}{4}$	$22\frac{1}{4}$	inches
Floor to top of rim adjustable from 3	0 to 36 in	ches.	

Can be furnished with special length legs for sink adjustment from 36 to 41 inches, and fittings as shown on any of our other sinks.

F-1003-H As described.

F-1003 Sink with strainer only, drilled for faucets shown.



F-1004

 $K^{\rm OHLER}$ Enameled ONE PIECE Apron Sink, with two drain boards, on enameled adjustable legs and concealed hangers, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Dimensions

Size, sink		
Back		
Drain boards		
Apron		
Length over all	$60\frac{1}{2}$ in	ches
Width over all		ches
El		

Floor to top of rim adjustable from 30 to 36 inches.

Can be furnished with special length legs for sink adjustment from 36 to 41 inches, and fittings as shown on any of our other sinks.

F-1004 As described.



F-1005

 K^{OHLER} Enameled ONE PIECE Apron Sink with left hand drain board, on enameled adjustable legs and concealed hangers, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Dimensions

Sizes, sink	20x30	22x30	inches
Back	12	12	inches
Drain board	20x24	22x24	inches
Apron	6	6	inches
Length over all			inches
Width over all			inches
Floor to top of rim adjustable from 30	to 36 inch	es.	

Can be furnished with special length legs for sink adjustment from 36 to 41 inches, and fittings as shown on any of our other sinks.

F-1005 As described.



F-1007

KOHLER Enameled ONE PIECE Apron Sink with right hand drain board, on enameled adjustable legs and concealed hangers, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Dimensions

Sizes, sink	20x30		inches
Back	12	12	inches
Drain board	20x24	22x24	inches
Apron	6	6	inches
Length over all	$52\frac{1}{2}$	56	inches
Width over all	$20\frac{1}{4}$	23	inches

Floor to top of rim adjustable from 30 to 36 inches.

Can be furnished with special length legs for sink adjustment from 36 to 41 inches, and fittings as shown on any of our other sinks.

F-1007 As described.



F-1008

 $K^{\rm OHLER}$ Enameled ONE PIECE Apron Kitchenette Sink with left hand drain board, on concealed hangers, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Can be furnished with enameled or painted adjustable legs, and fittings as shown on any of our other sinks.

Dimensions

Size, sink	20x24	inches
Back		
Drain board	20x20	inches
Apron	6	inches
Length over all	$42\frac{1}{2}$	inches
Width over all	$20\frac{1}{4}$	inches

F-1008 As described.



F-1008-R

 $K^{\rm OHLER}$ Enameled ONE PIECE Apron Kitchenette Sink with right hand drain board, on concealed hangers, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Can be furnished with enameled or painted adjustable legs, and fittings as shown on any of our other sinks.

Dimensions

Size, sink	20x24	inches
Back	12	inches
Drain board	20x20	inches
Apron	6	inches
Length over all	$42\frac{1}{2}$	inches
Width over all	$20\frac{1}{4}$	inches

F-1008-R As described.

Kitchen Sink



F-1009

 K^{OHLER} Enameled ONE PIECE Apron Sink, on concealed hanger, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Can be furnished with enameled or painted adjustable legs, and fittings as shown on any of our other sinks.

Dimensions

Sizes	18x30	20x30	inches
Back		12	inches
Apron		6	inches

F-1009 As described.

Kitchen Sink



F-1009-H

 K^{OHLER} Enameled ONE PIECE Apron Sink, on enameled adjustable legs and concealed hanger, with F-2345 nickel plated brass quick acting compression mixing faucet with indexed china handles, swing spout, china draining soap dish and $1\!\!\!/_2$ inch iron pipe female threaded inlets, and F-2382 nickel plated brass strainer with $11\!\!\!/_2$ inch tailpiece.

Mixing faucet can be furnished with any of our kitchen sinks.

Dimensions		
Sizes	20x30	inches
Back	12	inches
Apron	6	inches
Floor to top of rim adjustable from 30 to 36 inches.		

Can be furnished with special length legs for sink adjustment from 36 to 41 inches, or with concealed hangers only.

F-1009-H As described.

F-1009-J Sink, with strainer only, drilled for fixture shown.



F-1013

 $K^{OHLER\ Enameled\ ONE\ PIECE\ Apron\ Corner\ Sink\ with\ left\ hand\ end\ piece\ and\ right\ hand\ drain\ board,\ on\ enameled\ adjustable\ leg\ and\ concealed\ hangers,\ with\ F-2382\ nickel\ plated\ brass\ strainer\ with\ 1½\ inch\ tailpiece.$

Dimensions

Sizes, sink			inches
Back	12	12	inches
Drain board			
Apron	6	6	inches
Length over all	54	$55\frac{3}{4}$	inches
Width over all	21	23	inches

Floor to top of rim adjustable from 30 to 36 inches.

Can be furnished with special length leg for sink adjustment from 36 to 41 inches, and fittings as shown on any of our other sinks.

F-1013 As described.



F-1015

 $K^{\rm OHLER}$ Enameled ONE PIECE Apron Corner Sink with right hand end piece and left hand drain board, on enameled adjustable leg and concealed hangers, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Dimensions

Sizes, sink.	20x30	22x30	inches
Back	12	12	inches
Drain board	20x24	22x24	inches
Apron	6	6	inches
Length over all	$52\frac{1}{4}$	$55\frac{3}{4}$	inches
Width over all		23	inches

Floor to top of rim adjustable from 30 to 36 inches.

Can be furnished with special length leg for sink adjustment from 36 to 41 inches, and fittings as shown on any of our other sinks.

F-1015 As described.



F-1016


 $K^{\rm OHLER}$ Enameled ONE PIECE Apron Kitchenette Corner Sink with left hand end piece and right hand drain board, on concealed hangers, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Can be furnished with enameled or painted adjustable leg, and fittings as shown on any of our other sinks.

Dimensions

Size, sink.	20x24	inches
Back	12	inches
Drain board	20x20	inches
Apron	6	inches
Length over all	$42\frac{1}{4}$	inches
Width over all	201/	inches

F-1016 As described.



F-1016-R

KOHLER Enameled ONE PIECE Apron Kitchenette Corner Sink with right hand end piece and left hand drain board, on concealed hangers, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Can be furnished with enameled or painted adjustable leg, and fittings as shown on any of our other sinks.

Dimensions

Size, sink	20x24	inches
Back	12	inches
Drain board	20x20	inches
Apron		
Length over all		
Width over all	201/	inches

F-1016-R As described.



F-1017

 $K^{\rm OHLER}$ Enameled ONE PIECE Apron Corner Sink with left hand end piece and left hand drain board, on enameled adjustable leg and concealed hangers, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Dimensions

Size, sink	inches
Back	inches
Drain board	inches
Apron	inches
Length over all	inches
Width over all	inches
Floor to top of rim adjustable from 30 to 36 inches.	

Can be furnished with special length leg for sink adjustment from 36 to 41 inches, and with fittings as shown on any of our other sinks.

F-1017 As described.



F-1019

 K^{OHLER} Enameled ONE PIECE Apron Corner Sink with right hand end piece and right hand drain board, on enameled adjustable leg and concealed hangers, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Dimensions

Size, sink	22x30	inches
Back	12	inches
Drain board	22x24	inches
Apron		inches
Length over all	$55\frac{1}{2}$	inches
Width over all	23	inches
Floor to top of rim adjustable from 30 to 36 inche	S.	

Can be furnished with special length leg for sink adjustment from 36 to 41 inches, and with fittings as shown on any of our other sinks.

F-1019 As described.



F-1020

 $K^{\rm OHLER}$ Enameled ONE PIECE Apron Kitchenette Corner Sink with left hand end piece and left hand drain board, on concealed hangers, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Can be furnished with enameled or painted adjustable leg, and fittings as shown on any of our other sinks.

Dimensions

Size sink		
Size, sink	20x24	inches
Back	12	inches
Drain board.	00 00	inches
Apron	20x20	inches
Apron	6	inches
Length over all	4917	i 1
Width over all	421/4	
Width over all	$20\frac{1}{4}$	inches

F-1020 As described.



F-1020-R

KOHLER Enameled ONE PIECE Apron Kitchenette Corner Sink with right hand end piece and right hand drain board, on concealed hangers, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Can be furnished with enameled or painted adjustable leg, and fittings as shown on any of our other sinks.

Dimensions

Size, sink	20x24	inches
Back	12	inches
Drain board		
Apron		
Length over all.	$42\frac{1}{4}$	inches
Width over all	201/4	inches

F-1020-R As described.

Kitchen Sink

F-1023

KOHLER Enameled ONE PIECE Apron Corner Sink with left hand end piece, on enameled adjustable leg and concealed hangers, with F-2382 nickel plated brass strainer with 1½ inch tailpiece.

F-1023 As described.



F-1023



KOHLER Enameled ONE PIECE Apron Corner Sink with right hand end piece, on enameled adjustable leg and concealed hangers, with F-2382 nickel plated brass strainer with 1½ inch tailpiece.

F-1023-R As described.



F-1023-R

Dimensions

Sizes, sink 18x30 20x30 inches
Back 12 inches Apron 6 inches
Floor to top of rim adjustable from 30 to 36 inches

Can be furnished with painted adjustable leg, concealed hangers only, special length leg for sink adjustment from 36 to 41 inches, and fittings as shown on any of our other sinks.



F-1024

 K^{OHLER} Enameled ONE PIECE Roll Rim Sink with two drain boards, on painted adjustable legs and concealed hangers, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Dimensions

Size, sink	. 22x26	inches
Back	. 12	inches
Drain boards	. 22x19	inches
Length over all	. 60	inches
Width over all	22	inches
		ALL CITED

Floor to top of rim adjustable from 30 to 36 inches.

Can be furnished with enameled adjustable legs, concealed hangers only, special length legs for sink adjustment from 36 to 41 inches, and fittings as shown on any of our other sinks.

F-1024 As described.



F-1026

 $K^{\rm OHLER}$ Enameled ONE PIECE Roll Rim Sink with left hand drain board, on painted adjustable legs and concealed hangers, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Dimensions

Sizes, sink	20x26	20x28	20x30	22x30	inches
Back		12	12	12	inches
Drain board		20x20	20x24	22x24	inches
Length over all			52		inches
Width over all		201/9	20	, ,	inches
	20/2	2072	20	44/2	menes

Floor to top of rim adjustable from 30 to 36 inches.

Can be furnished with enameled adjustable legs, concealed hangers only, special length legs for sink adjustment from 36 to 41 inches, and fittings as shown on any of our other sinks.

F-1026 As described.



F-1028

 K^{OHLER} Enameled ONE PIECE Roll Rim Sink with right hand drain board, on painted adjustable legs and concealed hangers, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Dimensions

			20x28	20x30	22x30	inches
Back		12	12	12	12	inches
			12	14	14	menes
Drain boa	rd	20x18	20x20	20x24	22x24	inches
I on oth	11	4447			LLALI	menes
rength of	er all	$44\frac{1}{2}$	49	$55\frac{1}{4}$	551/	inches
XX7: J.L	= 11	0011		/ 4	00/4	menes
Width ove	er all	$20\frac{1}{2}$	201/2	201/2	221/	inches
	731		/2	-0/2	4472	menes

Floor to top of rim adjustable from 30 to 36 inches.

Can be furnished with enameled adjustable legs, concealed hangers only, special length legs for sink adjustment from 36 to 41 inches, and fittings as shown on any of our other sinks.

F-1028 As described.



F-1029

 K^{OHLER} Enameled ONE PIECE Roll Rim Kitchenette Sink with left hand drain board, on concealed hangers, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Can be furnished with enameled or painted adjustable legs, and fittings as shown on any of our other sinks.

Dimensions

Size, sink	20x24	inches
Back	12	inches
Drain board	20x20	inches
Length over all	42	inches
Width over all	20	inches

F-1029 As described.



F-1030

 $K^{\rm OHLER}$ Enameled ONE PIECE Roll Rim Kitchenette Sink with right hand drain board, on concealed hangers, with F-2382 nickel plated brass strainer with 1% inch tailpiece.

Can be furnished with enameled or painted adjustable legs, and fittings as shown on any of our other sinks.

Dimensions

'		
Size, sink	20x24	inches
Back	12	inches
Drain board	20x20	inches
Length over all	42	inches
Width over all	20	inches

F-1030 As described.

Kitchen Sink



F-1032

KOHLER Enameled ONE PIECE Roll Rim Sink, on concealed hanger, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Sizes and Dimensions

16x24	20x20	20x40	inches
18x18	20x24	22x30	inches
18x24	20x30	22x36	inches
18x30	20x36	22x42	inches
Back		12	inches

Can be furnished with painted or enameled adjustable legs, and fittings as shown on any of our other sinks.

F-1032 Upper surface only enameled, as described.



F-1032-D

 $K^{OHLER} \ \ \text{Enameled ONE PIECE Roll Rim Sink, on concealed hanger,} \\ \text{enameled interchangeable drain board on concealed bracket, with F-2382} \\ \text{nickel plated brass strainer with } 1\frac{1}{2} \ \text{inch tailpiece.}$

Sizes and Dimensions

16x24	20x20	20x40	inches
18x18	20x24	22x30	inches
18x24	20x30	22x36	inches
18x30	20x36	22x42	inches
Back		12	inches
Length	of drain bo	oard24	inches

Can be furnished with 18-inch long drain board, and with painted or enameled adjustable legs, and fittings as shown on any of our other sinks.

F-1032-D Upper surface only enameled, as described.



F-1050

 $K^{\rm OHLER}$ Enameled ONE PIECE Roll Rim Corner Sink with left hand end piece and right hand drain board, on painted adjustable leg and concealed hangers, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Dimensions

Sizes, sink			
Back			
Drain board	20x24	22x24	inches
Length over all	52	52	inches
Width over all	20	22	inches

Floor to top of rim adjustable from 30 to 36 inches.

Can be furnished with enameled adjustable leg, concealed hangers only, special length leg for sink adjustment from 36 to 41 inches, and fittings as shown on any of our other sinks.

F-1050 Upper surface only enameled, as described.



F-1052

 $K^{\rm OHLER}$ Enameled ONE PIECE Roll Rim Corner Sink with right hand end piece and left hand drain board, on painted adjustable leg and concealed hangers, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Dimensions

Sizes, sink	20x30	22x30	inches
Back			
Drain board			
Length over all			inches
Width over all	20	$22\frac{3}{4}$	inches

Floor to top of rim adjustable from 30 to 36 inches.

Can be furnished with enameled adjustable leg, concealed hangers only, special length leg for sink adjustment from 36 to 41 inches, and fittings as shown on any of our other sinks.

F-1052 Upper surface only enameled, as described.



F-1053

 $K^{\rm OHLER}$ Enameled ONE PIECE Roll Rim Kitchenette Corner Sink with left hand end piece and right hand drain board, on concealed hangers, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Can be furnished with enameled or painted adjustable leg, and fittings as shown on any of our other sinks.

Dimensions

Size, sink	20x24	inches
Back	12	inches
Drain board	20x20	inches
Apron	6	inches
Length over all	42	inches
Width over all	20	inches

F-1053 As described.



F-1053-R

 $K^{\rm OHLER}$ Enameled ONE PIECE Roll Rim Kitchenette Corner Sink with right hand end piece and left hand drain board, on concealed hangers, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Can be furnished with enameled or painted adjustable leg, and fittings as shown on any of our other sinks.

Dimensions

Size, sink		
Back		
Drain board		
Apron		
Length over all		
Width over all	20	inches

F-1053-R As described.



F-1054

 K^{OHLER} Enameled ONE PIECE Roll Rim Corner Sink with left hand end piece and left hand drain board, on painted adjustable leg and concealed hangers, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Dimensions

2: : :		
Size, sink.	22v20	inches
De et-	22A30	menes
Back	12	inches
Drain board	14	menes
Drain board	22x24	inches
I oneth over all	ALAL T	menes
Length over all.	5516	inches
Width array all	00/2	menes
Width over all	223/	inches
771	4	menes

Floor to top of rim adjustable from 30 to 36 inches.

Can be furnished with enameled adjustable leg, concealed hangers only, special length leg for sink adjustment from 36 to 41 inches, and fittings as shown on any of our other sinks.

F-1054 Upper surface only enameled, as described.



F-1056

 K^{OHLER} Enameled ONE PIECE Roll Rim Corner Sink with right hand end piece and right hand drain board, on painted adjustable leg and concealed hangers, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Dimensions

Size, sink	22x30	inches
Back	12	inches
Drain board	22x24	inches
Length over all	$55\frac{1}{2}$	inches
Width over all	223/	inches

Floor to top of rim adjustable from 30 to 36 inches.

Can be furnished with enameled adjustable leg, concealed hangers only, special length leg for sink adjustment from 36 to 41 inches, and fittings as shown on any of our other sinks.

F-1056 Upper surface only enameled, as described.



F-1057

 $K^{\rm OHLER}$ Enameled ONE PIECE Roll Rim Kitchenette Corner Sink with left hand end piece and left hand drain board, on concealed hangers, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Can be furnished with enameled or painted adjustable leg, and fittings as shown on any of our other sinks.

Dimensions

Size, sink.	20x24	inches
Back	12	inches
Drain board	20x20	inches
Apron	6	inches
Length over all.	42	inches
Width over all	20	inches

F-1057 As described.



F-1057-R

 $K^{\rm OHLER}$ Enameled ONE PIECE Roll Rim Kitchenette Corner Sink with right hand end piece and right hand drain board, on concealed hangers, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Can be furnished with enameled or painted adjustable leg, and fittings as shown on any of our other sinks.

Dimensions

Size, sink	20x24	inches
Back	12	inches
Drain board	20x20	inches
Apron	6	inches
Length over all.	42	inches
Width over all	20	inches

F-1057-R As described.

Kitchen Sink



F-1058

 K^{OHLER} Enameled ONE PIECE Roll Rim Corner Sink with left hand end piece, on concealed hangers, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Can be furnished with enameled or painted adjustable leg, and fittings as shown on any of our other sinks.

Sizes and Dimensions

16x24 18x24	18x30 18x36 20x30	20x36 20x40	inches inches
Rack		19	inches

F-1058 Upper surface only enameled, as described.

Kitchen Sink



F-1060

 $K^{\rm OHLER}$ Enameled ONE PIECE Roll Rim Sink with right hand end piece, on concealed hangers, with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Can be furnished with enameled or painted adjustable leg, and fittings as shown on any of our other sinks.

Sizes and Dimensions

16x24 18x24	18x30 18x36 20x30		inches inches
Back	20,30	12	inches

F-1060 Upper surface only enameled, as described.

Drain Boards



F-1127

KOHLER Enameled Interchangeable Drain Board, on concealed iron bracket, for roll rim sinks.

16x18	22x18	18x24	inches
18x18	16x24	20x24	inches
20x18		22x24	inches

F-1127 As described.




F-1128

KOHLER Ash Wood Interchangeable Drain Board, on concealed iron bracket, for roll rim sinks.

16x18	22x18	18x24	inches
18x18	16x24	20x24	inches
20x18		22x24	inches

F-1128 As described.

Flat Rim Kitchen Sinks



KOHLER Enameled Flat Rim Kitchen Sink with nickel plated brass strainer and iron coupling.

Sizes and Dimensions

12x18	20x24	inches
14x20	20x30	inches
16x24	20x36	inches
18x24	20x40	inches
18x30	22x36	inches
18x36	24x48	inches
Depth	6	inches

F-1140 As described.

F-1146 With patent overflow and plug strainer with rubber stopper and iron coupling.

Above sinks can be furnished with coupling threaded for $1\frac{1}{4}$, $1\frac{1}{2}$ or 2 inch iron pipe.

F-1140

F-1156

 $K_{\mbox{Rim}}^{\mbox{OHLER}}$ Enameled Flat Rim Round Corner Kitchen Sink with F-2382 nickel plated brass strainer with $1\frac{1}{2}$ inch tailpiece.

Sizes and Dimensions

16x24 inches

18x30 inches

20x30 inches

Depth 6 inches


F-1156 As described.

For other strainers see F-2384 and F-2404.



F-1156

Flat Rim Kitchen Sink



F-1160

KOHLER Enameled Flat Rim Kitchen Sink with F-2382 nickel plated brass sink strainer with $1\frac{1}{2}$ inch tailpiece.

Sizes and Dimensions

12x18	18x24	20x24	20x40	inches
14x20	18x30	20x30	20x48	inches
16x24	18x36	20x36	22x36	inches
**	101100			inches

F-1160 As described.

 $\mathbf{F\text{-}1162}$ With patent overflow and F-2386 plug strainer with rubber stopper.

Sink Backs and End Pieces



F-1170

 $K_{
m flat\ rim\ kitchen\ sink.}^{
m OHLER\ Enameled\ Back\ for}$

Sizes and Dimensions

20	30	40	inches
24	36	48	inches
Height		12	inches

F-1170


F-1180

 $K_{\mbox{Sink}}^{\mbox{OHLER}} \mbox{ Enameled Corner} \\ \mbox{Sink} \mbox{ Back for flat rim} \\ \mbox{kitchen sink.}$

When ordering specify whether right or left hand corner back is wanted.

Sizes and Dimensions

20	24	30	36	inches
Heig	ht		12	inches



F-1180



F-1182

F-1182

KOHLER Enameled End Piece for flat rim kitchen sink. Used in connection with F-1180 corner back.

When ordering specify whether right or left hand corner end piece is wanted.

Sizes and Dimensions

16	18	20	inches
Height		12	inches

Slop Sink



F-1199

 $K^{\rm OHLER}$ Enameled ONE PIECE Roll Rim Slop Sink with 14 inch high back, on enameled adjustable trap standard with outlet threaded for 2 inch iron pipe, nickel plated brass cleanout plug, strainer and flange.

For other trap standards see F-1235 to F-1244.

Sizes

16x20x12 inches 18x22x12 inches 20x24x12 inches

F-1199 All over enameled, as described.F-1200 Upper surface only enameled, as described.

Slop Sinks



F-1212

F-1218

KOHLER Enameled Flat Rim Slop Sink with 12 inch high back, on enameled adjustable trap standard with outlet threaded for 2 inch iron pipe, nickel plated brass cleanout plug, strainer and flange.

Sizes

16x20x12 inches 18x22x12 inches 20x24x12 inches

F-1218 Upper surface only enameled, as described.

F-1212

KOHLER Enameled Roll Rim Slop Sink, on enameled adjustable trap standard with outlet threaded for 2 inch iron pipe, nickel plated brass cleanout plug, strainer and flange.

Size 16x20x12 inches

F-1212 Inside only enameled, as described.



F-1218

Slop Sinks

F-1224

KOHLER Enameled Flat Rim Slop Sink, on enameled adjustable trap standard with outlet threaded for 2 inch iron pipe, nickel plated brass cleanout plug, strainer and flange.

For other trap standards see F-1235 to F-1244.

Sizes

16x20x12 inches 18x22x12 inches 20x24x12 inches

F-1224 Inside only enameled, as described.



F-1224



F-1230

 $K^{OHLER\,Enameled\,Flat\,Rim\,Slop\,Sink,\,with}_{F-2396\,nickel\,plated\,brass\,\,strainer\,with\,\,iron}_{coupling\,\,and\,\,collar\,\,for\,\,lead\,\,pipe\,\,connection.}$

For other strainers see F-2382 to F-2404.

Sizes

16x16x10 16x20x12 inches 18x22x12 20x24x12 inches

16x16x10 inch size has center outlet; other sizes have end outlet.

20x24x12 inch size can also be furnished with center outlet.

F-1230 Inside only enameled, as described.



F-1232

KOHLER Enameled Flat Rim Slop Sink, with 4 inch center outlet and nickel plated brass special strainer and iron collar.

Can be furnished with plug - strainer with rubber stopper.

Sizes

16x16x10 inches 20x22x12 inches

F-1232 Inside only enameled, as described.

Trap Standards

KOHLER Enameled Slop Sink Trap Standards with brass inlet flange threaded for strainer and nickel plated brass cleanout plug.



F-1235

Trap for lead pipe.

F-1235 All over enameled, as described.F-1236 Inside only enameled, as described.

Can be furnished with nickel plated brass vent to wall.



F- 1239

Open trap for lead pipe.

F-1239 All over enameled, as described. F-1240 Inside only enameled, as described.

Can be furnished with hub vent or nickel plated brass vent.



F-1241

Open trap for 3 inch iron soil pipe.

F-1241 All over enameled, as described.

F-1242 Inside only enameled, as described.

Can be furnished with hub or nickel plated brass vent.



F-1243

Adjustable trap with outlet threaded for 2 inch iron pipe.

F-1243 All over enameled, as described.

F-1244 Inside only enameled, as described.

Can also be furnished with outlet threaded for 3 inch iron pipe.

The above trap standards can be used with F-1199 to F-1224 slop sinks



Laundry FW



F-1200 20x24x12 inch Slop Sink complete with F-2355 compression faucets.

F-1250-A Set of three Laundry Trays.



F-1248-A

 $K^{\rm OHLER}$ Enameled ONE PIECE Roll Rim Double Laundry Tray on painted adjustable standards. Fitted with F-2425 wooden wringer holder, nickel plated brass soap dishes, F-2424 compression faucets, $1\frac{1}{2}$ inch special double waste connection and strainers with rubber stoppers, and F-2220 $1\frac{1}{2}$ inch "P" trap.


Can be furnished with integral patent overflow or drilled for overflow.

Dimensions

Length over rim, double tray		
Width over rim	$26\frac{5}{8}$	inches
Length inside, each tray	23	inches
Front to back, inside	$21\frac{1}{4}$	inches
Depth inside	$14\frac{1}{4}$	inches
Height of back	8	inches
Floor to top of rim adjustable from 34 to 353/4 inches	i	

F-1248-A As described.

F-1248 With soap dishes and F-2384 1½ inch strainers only.



F-1249-A

KOHLER Enameled ONE PIECE Roll Rim Laundry Trays on enameled adjustable standards. Fitted with F-2425 wooden wringer holder, nickel plated brass soap dishes, F-2384 strainers with rubber stoppers, 1½ inch tailpieces, F-2424 compression faucets, F-2280 ½ inch three branch continuous waste pipe with F-2220 2 inch "P" trap. Wringer shown not included.

Can be furnished with integral patent overflow or drilled for overflow.

Dimensions

Length over rim	271/2	inches
Width over rim	263/4	inches
Length inside		inches
Front to back, inside	$22\frac{1}{2}$	inches
Depth inside		inches
Height of back		inches
Length over all, allowing ½ inch space between trays		inches
Floor to top of rim adjustable from 34 to 35\(^3\)4 inches		

F-1249-A	Set of three, all over enameled, as described.
F-1249	One tray, all over enameled, with soap dish and strainer only.
F-1250-A	Set of three, upper surface only enameled, as described.
F-1250	One tray, upper surface only enameled, with soap dish and
	strainer only.

Sink and Laundry Tray Combination



F-1253-A

KOHLER Enameled ONE PIECE Roll Rim Sink and Laundry Tray Combination with hinged ash combination drain board and tray cover. Sink on concealed hanger and fitted with F-2382 nickel plated brass strainer, 1½ inch special tailpiece, and F-2355 compression faucets. Laundry tray on painted adjustable standard and fitted with nickel plated brass soap dish, F-2384 strainer with rubber stopper, 1½ inch tailpiece, and F-2424 compression faucets. Combination fitted with F-2280 1½ inch nickel plated brass continuous waste pipe with F-2220 1½ inch "P" trap.

Tray can be furnished with integral patent overflow or drilled for overflow.


Dimensions

Length over rim, sink and tray	50	inches
Width outside	$23\frac{1}{2}$	inches
Front to back, inside	191/4	inches
Length inside, each compartment	$21\frac{3}{4}$	inches
Depth inside, sink	6	inches
Depth inside, tray	$13\frac{3}{8}$	inches
Height of back	8	inches
Floor to top of rim adjustable from 321/4 to 341/2 inches	es	

F-1253-A With sink on right hand side, as described.
F-1253 With drain board-cover, soap dish and strainer only.

F-1253-LA With sink on left hand side, as described.

F-1253-L With drain board-cover, soap dish and strainer only.



F-1268-A

KOHLER Enameled Flat Rim Laundry Trays on painted adjustable standards and concealed hangers. Fitted with F-2427 wooden wringer holder, nickel plated brass soap dishes, F-2384 strainers with rubber stoppers, $1\frac{1}{2}$ inch tailpieces, F-2424 compression faucets, F-2280 $1\frac{1}{2}$ inch three branch continuous waste pipe with F-2220 2 inch "P" trap.


Can be furnished with integral patent overflow or drilled for overflow.

Dimensions

Length over rim	26	inches
Width over rim	26	inches
Length inside	23	inches
Front to back, inside	$21\frac{3}{4}$	inches
Depth inside	$14\frac{1}{4}$	inches
Length over all, allowing ½ inch space between trays	79	inches
Floor to top of rim adjustable from $30\frac{1}{2}$ to $35\frac{1}{2}$ inches		

F-1268-A Set of three, as described.

F-1268 One tray with soap dish and waste strainer only.



F-1272-A

 K^{OHLER} Enameled Flat Rim Laundry Trays with ash frame and wooden wringer holders, on painted adjustable standards and concealed hangers. Fitted with nickel plated brass soap dishes, F-2384 strainers with rubber stoppers, $1\frac{1}{2}$ inch tailpieces, F-2424 compression faucets, F-2280 $1\frac{1}{2}$ inch three branch continuous waste pipe with F-2220 2 inch "P" trap. Wringer shown not included.


Can be furnished with integral patent overflow or drilled for overflow.

Dimensions

Front to back of frame, outside Front to back of frame, inside Length inside of frame, each tray. Length over frame, three trays, allowing ½ inch space between	$21\frac{3}{4}$ $22\frac{5}{8}$	inches
trays Depth inside from top of frame	$79\frac{1}{2}$ $15\frac{1}{4}$	inches inches
Floor to top of frame adjustable from 31 1/2 to 36 1/2 inch	ies	

F-1272-A Set of three, as described.

F-1272 One tray with soap dish and strainer only.



F-1274-A

KOHLER Enameled Flat Rim Laundry Trays with hinged ash covers, on painted adjustable standards and concealed hangers. Fitted with F-2425 wooden wringer holder, nickel plated brass soap dishes, F-2384 strainers with rubber stoppers, 1½ inch tailpieces, F-2424 compression faucets, F-2280 1½ inch three branch continuous waste pipe with F-2220 2 inch "P" trap.


Can be furnished with integral patent overflow or drilled for overflow.

Dimensions

Front to back, over cover	261/4	inches
Front to back, inside	213/4	inches
Length inside	23	inches
Length over covers, three trays, allowing ½ inch space between		
trays	$79\frac{1}{2}$	inches
Depth inside	$14\frac{1}{4}$	inches
Floor to top of cover adjustable from 31\frac{3}{4} to 36\frac{3}{4} inch	nes	

F-1274-A Set of three, as described.

F-1274 One tray with soap dish and strainer only,



F-1276-A

KOHLER Enameled Flat Rim Laundry Trays on painted adjustable standards and concealed hangers. Fitted with wooden wringer holders, F-2384 nickel plated brass strainers with rubber stoppers, $1\frac{1}{2}$ inch tailpieces, F-2424 compression faucets, F-2280 $1\frac{1}{2}$ inch three branch continuous waste pipe with F-2220 2 inch "P" trap.

Can be furnished with integral patent overflow or drilled for overflow


Dimensions

Length over rim.		
Width over rim	$23\frac{1}{4}$	inches
Length inside	$21\frac{1}{4}$	inches
Front to back, inside	$19\frac{1}{2}$	inches
Depth inside	$13\frac{1}{2}$	inches
Length over all, three trays	$72\frac{3}{4}$	inches
T1		

Floor to top of rim adjustable from 291/4 to 341/4 inches

F-1276-A Set of three, as described.

F-1276 One tray with wringer holder and strainer only.



F-1278-A

 $K^{OHLER} \ {\rm Enameled} \ {\rm Flat} \ {\rm Rim} \ {\rm Laundry} \ {\rm Trays} \ {\rm on} \ {\rm painted} \ {\rm adjustable} \ {\rm standards} \ {\rm and} \ {\rm concealed} \ {\rm hangers}. \ {\rm Fitted} \ {\rm with} \ {\rm F-2384} \ {\rm nickel} \ {\rm plated} \ {\rm brass} \ {\rm strainers} \ {\rm with} \ {\rm rubber} \ {\rm stoppers}, \ 1\frac{1}{2} \ {\rm inch} \ {\rm tailpieces}, \ {\rm F-2424} \ {\rm compression} \ {\rm faucets}, \ 1\frac{1}{2} \ {\rm inch} \ {\rm three} \ {\rm branch} \ {\rm special} \ {\rm continuous} \ {\rm waste} \ {\rm pipe} \ {\rm with} \ {\rm F-2220} \ 2 \ {\rm inch} \ {\rm ``P''} \ {\rm trap}.$

Can be furnished with integral patent overflow.

Dimensions

Length over rim	24	inches
Width over rim	20	inches
Length inside		inches
Front to back, inside	$17\frac{1}{4}$	inches
Depth inside	131/4	inches
Length over all, three trays	72	inches
Floor to top of rim adjustable from 291/4 to 341/4 inches	es	

F-1278-A Set of three, as described. F-1278 One tray with strainer only.

Laundry Trays



F-1284

 $K^{\rm OHLER}$ Enameled Flat Rim Laundry Tray on painted adjustable standard and concealed hanger, with F-2384 nickel plated brass strainer with rubber stopper and $1\frac{1}{2}$ inch tailpiece.

Dimensions

Length over rim Width over rim	24 20	inches inches
Length inside	$21\frac{1}{4}$	inches
Front to back, inside	171/4	inches
Depth inside	131/4	inches
Floor to top of from 291/4 to 341/4	rim adj inches	ustable

F-1284 As described.

F-1284

F-1286

KOHLER Enameled Flat Rim Laundry Tray on concealed hanger, with F-2384 nickel plated brass strainer with rubber stopper and $1\frac{1}{2}$ inch tailpiece.

Dimensions

Length over rim	24	inches
Width over rim	20	inches
Length inside	$21\frac{1}{4}$	inches
Front to back,		
inside	$17\frac{1}{4}$	inches
Depth inside	131/4	inches

F-1286 As described.



F-1286

Can be furnished with integral patent overflow. Arranged for setting in batteries of two or more

When ordering specify number

Closet Tanks

F-1315-A

KOHLER All Over Enameled Low Closet Tank, with brass fittings, nickel plated brass supply pipe to wall with stop and four-ball handle with china index, 5x7x2 inch O. D. elbow flush connection, and double action lever with china handle.

Dimensions

With three sets of slots for fastening tank to wall with screws.

F-1315-A As described. F-1315 Less fittings.

Tank as above with concealed hanger.

F-1315-HA As described. F-1315-H Less fittings.



F-1315-A



F-1321-A

F-1321-A

KOHLER All Over Enameled Low Closet Tank on concealed hanger, with brass fittings, nickel plated brass supply pipe to wall with stop and fourball handle with china index, 5x7x2 inch O. D. elbow flush connection, and double action lever with china handle.

Dimensions

> F-1321-A As described. F-1321 Less fittings.

When ordering specify number

Can be furnished inside only enameled, with push button action fittings, flush connection offset $1\frac{1}{2}$ inches, supply pipe to floor, stop with wheel handle, or without stop.

Closet Tanks



F-1337

F-1339

KOHLER All Over Enameled Low Closet Tank on concealed hangers, with brass fittings, automatic seat action arrangement with golden oak oval seat and nickel plated brass supply pipe to wall with stop and four-ball handle with china index, and elbow flush connection.

Can be furnished inside only enameled.

Dimensions

Width over cover 24¼ inches
Wall to front of
cover 10¼ inches
Top of cover to
bottom of tank 19⅓ inches

F-1339-A As described. F-1339 Less fittings.



F-1343

F-1337

 $K^{\text{OHLER All Over Enameled}}_{\text{ High Closet Tank, with}}$ brass fittings and chain and pull.

Can be furnished with top supply fittings, and with special lever for use on same side with top supply.

Dimensions .

18x10x 9 inches 20x10x10 inches

F-1337-A As described. F-1337 Less fittings.



F-1339

F-1343

KOHLER All Over Enameled High Closet Tank, with brass fittings, automatic seat action arrangement with golden oak oval seat and nickel plated brass supply pipe to floor and flush pipe.

Can be furnished inside only enameled, and with top supply fittings.

Dimensions

20x10x10 inches

F-1343-A As described. F-1343 Less fittings.

Low Tank Closet Combinations

F-1345

 $\begin{tabular}{ll} K OHLER Vitreous China Closet and All Over Enameled Low Tank Combination. Complete with F-1315-HA Tank, wash down syphon bowl and F-2451 seat. \\ \end{tabular}$



F-1347

F-1349

 $K^{OHLER\ Vitreous\ China\ Closet\ and\ All\ Over}_{Enameled\ Low\ Tank\ Combination.}\ Complete\ with\ F-1315-HA\ Tank,\ reverse\ trap\ wash\ down\ syphon\ bowl\ and\ F-2451\ seat.}$



F-1345

F-1347

 $\begin{tabular}{ll} K OHLER Vitreous China Closet and All Over Enameled Low Tank Combination. Complete with F-1321-A Tank, wash down syphon bowl and F-2451 seat. \\ \end{tabular}$



F-1349

Can be furnished with push button action fittings supply pipe to floor and wheel handle stop

Low Tank Closet Combinations



F-1351

F-1355

 $K^{OHLER\ Vitreous\ China\ Closet\ and\ All\ Over}_{Enameled\ Low\ Tank\ Combination.}$ Complete with F-1315-HA Tank with <code>offsel</code> flush connection, syphon jet bowl and F-2451 seat.



F-1359

F-1351

 $K^{OHLER\ Vitreous\ China\ Closet\ and\ All\ Over}_{Enameled\ Low\ Tank\ Combination.\ Complete\ with\ F-1321-A\ Tank,\ reverse\ trap\ wash\ down\ syphon\ bowl\ and\ F-2451\ seat.}$




F-1355


F-1359

 $K^{\rm OHLER~Vitreous~China~Closet~and~All~Over}_{\rm Enameled~Low~Tank~Combination.~Complete~with~F-1321-A~Tank~with~\it{offset}~flush~connection,~syphon~jet~bowl~and~F-2451~seat.}$

When ordering specify number

High Tank Closet Combinations







F-1391

KOHLER Vitreous China Closet and All Over Enameled High Tank Combination. Complete with F-1337-A Tank with nickel plated brass supply and 1½ inch flush pipes, wash down syphon bowl and F-2451 golden oak seat.

F-1391 As described, with 18x10x9 inch tank.

F-1395

KOHLER Vitreous China Closet and All Over Enameled High Tank Combination. Complete with F-1337-A Tank with nickel plated brass supply and 1½ inch flush pipes, reverse trap wash down syphon bowl and F-2451 golden oak seat.

F-1395 As described, with 18x10x9 inch tank.

F-1397

KOHLER Vitreous China Closet and All Over Enameled High Tank Combination. Complete with F-1337-A Tank with nickel plated brass supply and 1½ inch flush pipes, syphon jet bowl and F-2451 golden oak seat.

F-1397 As described, with 18×10x9 inch tank.

Can furnish above closet combinations with 20x10x10 inch F-1337 tank.

Seat Action Closet Combinations



F-1411

F-1425

KOHLER Vitreous China Wash Down Syphon Closet and All Over Enameled High Tank, with brass fittings, automatic seat action arrangement with golden oak oval seat and nickel plated brass supply and flush pipes.

Can be furnished with reverse trap and top inlet syphon jet bowls, and supply pipe to wall.

F-1425 As described.

F-1411

KOHLER Vitreous China Wash Down Syphon Closet and All Over Enameled Low Tank on concealed hangers, with brass fittings, automatic seat action arrangement with golden oak oval seat, and nickel plated brass supply pipe to wall with stop, and elbow flush connection.

Can be furnished with reverse trap and rear inlet syphon jet bowls.

F-1411 As described.



F-1425

Urinals

F-1472-A

KOHLER Enameled ONE PIECE Roll Rim Lipped Urinal on concealed hangers, with 1½ inch finished brass beehive strainer, perforated flush pipe with ½ inch loose key stop and F-2242 1½ inch nickel plated brass "P" trap.

Dimensions

Sizes 24 30 36 42 48 60 inches Lips—Number 1 1 2 2 2 3 3 Lips—Center to center 20 26 32 22 inches Actual sizes $\frac{1}{4}$ inch more than nominal sizes.

F-1472-A As described. F-1472 With strainer only.

Can furnish nickel plated brass perforated flush pipe with loose key stop.



F-1472-A



F-1478-A

F-1478-A

 $K^{\rm OHLER}$ Enameled ONE PIECE Roll Rim Lipped Urinal on concealed hangers, with $1\frac{1}{2}$ inch finished brass beehive strainer and F-2242 $1\frac{1}{2}$ inch nickel plated brass "P" trap, all over enameled, automatic syphon flushing tank with brass top supply fittings and nickel plated brass flush pipes.

Dimensions

Urinal

Sizes 24 30 36 42 48 60 inches Lips—Number 1 1 2 2 2 3 Lips—Center to center 20 26 32 22 inches Actual sizes 1/4 inch more than nominal sizes.

Tank

 $14x9x7\frac{1}{2}$ inches

F-1478-A As described.
F-1478 Urinal and tank, with strainer only.

Urinal tank can be furnished with bottom supply, or chain and pull fittings

Showers





F-1605

KOHLER Combination Bath Over Rim Supply, Waste and Shower with 4 inch cast head and ball joint, 1/2 inch built in mixer and compression controlling valves with connections for iron pipe, 2 inch secret waste with holders, china handles and escutcheons.

F-1610

OHLER Combination Bath Over Rim Supply, Waste and Shower with 4 inch cast head and ball joint, ½ inch built in mixer and compression controlling valves with connections for iron pipe, 11/2 inch connected waste and overflow, china handles and escutcheons.

Specify when ordering if above showers are wanted with:

34 inch mixer and 214 inch secret waste.

Poppet waste as shown on F-1780 bath fixture in place of connected waste and overflow. Special side discharge head for installation as shown in F-6-SJ, F-10-DJ and F-86-SJ bath tubs.

Needle bath attachment as shown in F-16-RH bath tub.

Valves in above showers are semi-quick acting, and valves and mixer have renewable seats and swivel disks. Above showers are designed for use with built in bath tubs only, and can be installed in wall positions shown on any of our built in bath tubs. Built in parts shown in outline only are not regularly furnished and may be made of galvanized iron pipe and fittings. Supplies to mixer should be fitted with check valves. F-1909 and F-1911 hose couplings fit supply spouts as regularly furnished.

Secret waste and connected waste and overflow have 1½ inch O. D. tailpiece and also 1½ inch iron pipe male thread on tee outlet.

For curtain rails and curtains see F-1705 to F-1720.

Unless otherwise specified, showers will be furnished for installation at end of bath tub. If wanted for side center installation, state also size of bath tub.

Showers





KOHLER Combination Bath Top Supply, Waste and Shower with 4 inch cast head and ball joint, ½ inch built in mixer and compression controlling valves with connections for iron pipe, 2 inch secret waste with holder, china handles and escutcheons.



F-1625

KOHLER Shower with 4 inch cast head and ball joint, ½ inch built in mixer and compression controlling valves with connections for iron pipe, china handles and escutcheons, shampoo attachment, hose, spray and hook.

Can be furnished without shampoo attachment.

Specify when ordering if above showers are wanted with:

Poppet waste, connected waste and overflow, $2\frac{1}{4}$ inch secret waste in place of waste shown in F-1615 shower, or $\frac{3}{4}$ inch mixer.

Special side discharge head for installation as shown in F-6-SJ, F-10-DJ and F-86-SJ bath tubs. Needle bath attachment as shown in F-16-RH.

Valves in above showers are semi-quick acting, and valves and mixer have renewable seats and swivel disks. F-1615 shower is designed for use with built in bath tubs only, and F-1625 shower with built in bath tubs and receptors. Installation can be made in wall positions shown on any of our built in bath tubs. Built in parts shown in outline only are not regularly furnished and may be made of galvanized iron pipe and fittings. Supplies to mixer should be fitted with check valves. F-1625 shower without shampoo attachment is not supplied with valve in riser and does not require check valves.


F-1909 and F-1911 hose couplings fit supply spout as regularly furnished with F-1615 shower.

Secret waste in F-1615 shower has $1\frac{1}{2}$ inch O. D. tailpiece and also $1\frac{1}{2}$ inch iron pipe male thread on tee outlet. For curtain rails and curtains see F-1705 to F-1720.

Unless otherwise specified, showers will be furnished for installation at end of bath tub. If F-1615 shower is wanted for side center installation state also size of bath tub.

When ordering specify number of shower and number of bath tub for which shower is intended

Showers




F-1630

KOHLER Shower with 4 inch cast head and ball joint, controlling valve, ½ inch mixer with connection for iron pipe, china handles and escutcheon.

F-1635

KOHLER Shower with 4 inch cast head and ball joint, 1/2 inch built in compression valves with connections for iron pipe, china handles and escutcheons.






F-1635

Specify when ordering if above showers are wanted with: Shampoo attachment and valve in riser for F-1635 shower as shown in F-1625. Special side discharge head for installation as shown in F-8-SJ, F-10-DJ

and F-86-SJ bath tubs.

Mixer in F-1630 shower and valves in F-1635 shower are semi-quick acting and have renewable seats and swivel disks.

Above showers are designed for use with built in bath tubs and receptors. Installation can be made in wall positions as shown on any of our built in bath tubs. Built in parts shown in outline only are not regularly furnished and may be made of galvanized iron pipe and fittings. When furnished with shampoo, F-1635 shower should be fitted with check valves. For curtain rails and curtains see F-1705 to F-1720.



Curtain Rails

KOHLER Nickel Plated Brass Curtain Rails.

F-1705 (1) 28x44 inch angle rail.

F-1710 (2) 28x44 inch U rail.

F-1715 (3) Straight rail, 30 to 72 inches long.



F-1720

KOHLER Shrunk Duck Shower Curtain with nickel plated brass eyelets and snaps. Wall hook shown furnished only when specified.

Sizes

36x60 45x72 inches 39x72 60x60 inches

F-1720 As described.

When ordering specify number and size

Special sizes of curtain rails and curtains made to order

Bath Supply and Waste Fixtures

F-1780

KOHLER Built in Over Rim Supply and Waste Fixture with ½ inch semi-quick acting compression valves and connections for iron pipe, 1½ inch poppet waste with holder, china handles and escutcheons.

F-1780 As described.



F-1780



F-1785

KOHLER Built in Over Rim Supply and Waste Fixture with ½ inch semi-quick acting compression valves and connections for iron pipe, 2 inch secret waste with holders, china handles and escutcheons.

F-1785 As described.

F-1785

Can be furnished with $\frac{3}{4}$ inch valves and $2\frac{1}{4}$ inch secret waste.

Valves have by-passes, renewable seats and swivel disks. Spouts are regularly furnished for F-1909 and F-1911 hose couplings. Waste tailpieces are $1\frac{1}{2}$ inch O. D. Waste tees have $1\frac{1}{2}$ inch iron pipe male thread on outlet.

Above fixtures can be installed in wall position shown on any of our built in bath tubs. Unless otherwise specified, fixtures will be furnished for installation at end of bath tub. If wanted for side center installation, state also size of bath tub.

When ordering specify number of fixture and number of bath tub for which fixture is intended

Bath Supply and Waste Fixtures



F-1795

KOHLER Built in Over Rim Supply and Waste Fixture with ½ inch semi-quick acting compression valves and connections for iron pipe, 1½ inch connected waste and overflow, chain and rubber stopper, china handles and escutcheons.

F-1795 As described.

F-1795

F-1805

K OHLER Built in Top Supply and Waste Fixture with holder, ½ inch semi-quick acting compression valves and connections for iron pipe, 2 inch secret waste with holder, china handles and escutcheons.

F-1805 As described.



F-1805

Can be furnished with $\frac{3}{4}$ inch valves and $2\frac{1}{4}$ inch secret waste.

Valves have by-passes, renewable seats and swivel disks. Spouts are regularly furnished for F-1909 and F-1911 hose couplings. Waste tailpieces are $1\frac{1}{2}$ inch O. D. Waste tees have $1\frac{1}{2}$ inch iron pipe male thread on outlet.

Above fixtures can be installed in wall position shown on any of our built in bath tubs. Unless otherwise specified, fixtures will be furnished for installation at end of bath tub. If wanted for side center installation, state also size of bath tub.

When ordering specify number of fixture and number of bath tub for which fixture is intended

Bath Supply and Waste Fixtures

F-1815


KOHLER Nickel Plated Brass Top Supply and Waste Fixture with ½ inch semi-quick acting compression valves and supply pipes, 2 inch secret waste, china handles and knob.

F-1815 For bath tubs with outlet under floor line.

F-1816 For bath tubs with outlet above floor line.

Can be furnished with $\frac{3}{4}$ inch valves, supply pipes, and $2\frac{1}{4}$ inch secret waste.

Unless otherwise specified, fixture will be furnished for installation at end of bath tub. If wanted for side center installation, state also size of bath tub.



F-1815



F-1835

KOHLER Nickel Plated Brass Double Bell Supply and Waste Fixture (Patented) with ½ inch compression valves and supply pipes, 1½ inch poppet waste, china handles and knob. Designed for use with NON-APRON BATH TUBS ONLY, drilled for double bath cock and connected waste and overflow.

F-1835 As described.

F-1836 With rim flanges for fitting through rim of bath tubs with 3 inch rim and wider.

Can be furnished with ¾ inch valves, supply pipes and connected waste and overflow, and for non-apron bath tubs with outlet below floor line.

F-1835 fixture can be furnished with 2 inch or $2\frac{1}{4}$ inch secret waste.

F-1835

Valves have swivel disks. Spouts are regularly furnished for F-1909 and F-1911 hose couplings. Waste tailpieces are $1\frac{1}{2}$ inch O. D. Waste tees have $1\frac{1}{2}$ inch iron pipe male thread on outlet.

When ordering specify number of fixture and number of bath tub for which fixture is intended

Bath Fittings



F-1893

F-1893

 K^{OHLER} Nickel Plated Brass No. 3 Compression Double Bath Cock with china handles and $\frac{1}{2}$ inch offset supply pipes.

F-1893 As described.

Can be furnished with stuffing boxes and with elbow couplings for lead or iron pipe connection in place of supply pipes.

Spouts have standard hose coupling threads. For hose coupling see F-1912, and for hose and spray see F-1915.



F-1894

 K^{OHLER} Nickel Plated Brass $1\frac{1}{2}$ inch Poppet Bath Waste with china knob and $1\frac{1}{2}$ inch tailpiece.

F-1894 As described.



F-1895

KOHLER Nickel Plated Brass Secret Bath Waste with china knob and 1½ inch tailpiece.

Sizes $2 2\frac{1}{4}$ inches

F-1895 As described.

Can be furnished with operating handles and other details for built in installation, as shown in F-1780 and F-1785 respectively. Waste tees have $1\frac{1}{2}$ inch iron pipe male thread on outlet when furnished for built in installation or for bath tubs with outlet below floor line.

Unless otherwise specified, wastes will be furnished for installation at end of bath tub. If for side center installation, state also size of bath tub.

When ordering specify number of fitting and number of bath tub for which fitting is intended

Bath Fittings and Accessories

F-1900

Sizes $1\frac{3}{8}$ $1\frac{1}{2}$ inches

F-1900 As described.

Can be furnished for built in installation or bath tubs with outlet below floor line. Waste tees on such fixtures have $1\frac{1}{2}$ inch iron pipe male thread on outlet. Unless otherwise specified, waste will be furnished for installation at end of bath tub. If for side center installation, state also size of bath tub.



F-1900



F-1902 F-1903

F-1902 F-1903

 K^{OHLER} Nickel Plated Brass Overflow with $1\frac{1}{4}$ inch tailpiece, and waste with $1\frac{1}{2}$ inch tailpiece and rubber stopper.

F-1902 Overflow fitting. F-1903 Waste fitting.

F-1909

KOHLER Nickel Plated Brass Hose Coupling with valve for bath supply spouts.

Sizes ½ ¾ inch



F-1909



F-1911

F-1911

 $\begin{array}{ccc} K^{OHLER\ Nickel\ Plated\ Brass} \\ \text{Hose\ Coupling\ for\ over\ rim} \\ \text{and\ top\ supply\ bath\ spouts.} \\ \text{Sizes} & \frac{1}{2} & \frac{3}{4} & \text{inch} \end{array}$

F-1911 As described.
F-1912 With thread for bath cock.

F-1915

 $K^{\text{OHLER}}_{\text{rubber}} \text{ Rubber Hose and rubber bound nickel plated brass spray, and hook.}$

For bath supply hose couplings see F-1909 and F-1911 and for sink faucet coupling see F-2349.



F-1915

Mirrors and Cabinets



F-1940

KOHLER French Plate Glass Oblong Beveled Mirror with 1½ inch white enameled hand polished wood frame and concealed hanger hooks.

 $\begin{array}{cccc} & & & & & & \\ 12x18 & & 16x20 & & 18x24 & inches \\ 14x20 & & 16x24 & & 20x30 & inches \end{array}$

F-1942
Same as F-1940 except with $\frac{1}{2}$ inch nickel plated brass flat frame.

 $\begin{array}{ccc} \bullet & \textbf{Sizes} \\ 12x18 & 16x24 & 18x30 & \text{inches} \end{array}$



F-1945

 K^{OHLER} French Plate Glass Ellipse Beveled Mirror with $\frac{1}{2}$ inch nickel plated brass frame and concealed hanger hooks.

Sizes 12x18 16x24 18x30 inches F-1946

Same as F-1945 except with white enameled hand polished wood frame.

 $\begin{array}{c} {\bf Sizes} \\ {\bf With} \ 1\% \ {\bf in.} \ {\bf frame, 16x20, 16x24, 18x30} \quad {\bf inches} \\ {\bf With} \ 2 \quad {\bf in.} \ {\bf frame, 18x36, 20x30, 22x33} \quad {\bf inches} \end{array}$



F-1950

KOHLER French Plate Glass Round Beveled Mirror with 1½ inch white enameled hand polished wood frame and concealed hanger hooks.

Size 18 inches

F-1952

Same as F-1950 except with 1 inch nickel plated brass frame.



F-1968

 $K^{OHLER\,Special\,White\,Finished\,Steel\,Cabinet} for building 334 inches into wall with 16x22 inch mirror and 2 polished plate glass shelves and china knob.$

Dimensions

Recess 18x24x3¾ Over all 21x27x5 inches

F-1970

Same as above except for hanging on wall. Above cabinets are reversible for installation with hinges on right hand side.



F-1978

KOHLER Vitreous China Shelf and posts.

Sizes

18x5 24x5 30x5 36x5 inches



F-1990

KOHLER Opaline Glass Shelf with nickel plated brass brackets.

Sizes

18x5 20x5 24x5 30x5 inches

Can be furnished with crystal glass shelf and nickel plated brass rail.



F-1998

KOHLER Vitreous China Hand Rail with 1¼ inch bar, and posts.

Sizes

12 18 inches



F-2001

KOHLER Polished White Hand Rail with $1\frac{1}{2}$ inch bar and nickel plated brass posts.

Sizes

18 20 24 30 inches

Can be furnished with crystal glass or nickel plated brass bars.



F-2004

KOHLER Vitreous China Towel Rack with 1 inch bar, and posts.

Sizes

18 24 30 36 48 inches



F-2006

KOHLER Opaline Glass Towel Rack with 1 inch bar and nickel plated brass posts.

Sizes

18 20 24 30 inches .

Can be furnished with $\frac{3}{4}$, $1\frac{1}{4}$ or $1\frac{1}{2}$ inch crystal glass or nickel plated brass bars.



F-2031 $\begin{array}{ccc} \text{Dimensions} \\ \text{Height} & 16 & \text{inches} \\ \text{Diameter} & 13\frac{1}{2} & \text{inches} \end{array}$



F-2042 KOHLER Nickel Plated Brass Combination Sponge and Soap Holder to hang over rim of bath tub.



F-2038 KOHLER Special White Finished Bath Room
Stool with white rubber tips.

KOHLER Nickel Plated Brass Floor Towel Basket.





F-2046 KOHLER Nickel Plated Brass Soap Holder to hang over rim of bath tub.

Sizes. 5x3 6x3½ inches

F-2042 and F-2046 fittings will fit 3½ inch and smaller bath tub rims. Fittings for wider rims made to order.



F-2047 KOHLER Vitreous China Soap Holder and Hand Rail for building 2¾ inches into wall.

Size of flange 6x6 inches



F-2048 KOHLER Vitreous China Soap Holder for building 2¾ inches into wall. Size of flange 6x6 inches




F-2050 KOHLER Vitreous China Wall Soap Holder.



F-2052 KOHLER Nickel Plated Brass Wall Soap Holder with china dish.



 $\begin{array}{ccc} & F\text{-}2056 \\ \text{KOHLER} & \text{Nickel Plated Brass} \\ & \text{Wall Sponge Holder.} \\ & & \text{Sizes} \\ & 51/\!\!/2\text{x4} & 63/\!\!/4\text{x5}1/\!\!/2 & \text{inches} \end{array}$



F-2057

 $K_{\ Tumbler\ Holders\ with\ china\ mug\ and\ tumbler.}^{OHLER\ Vitreous\ China\ Combination\ Shelf,}$

Sizes

18x5 24x5 30x5 36x5 inches



F-2058

KOHLER Nickel Plated Brass Combination Opaline Glass Shelf, Tumbler Holders with china tooth brush vase and china tumbler, and opaline glass towel rack.

Sizes 24x5 30x5 inches

Can be furnished with crystal glass shelf and nickel plated brass rail.



F-2060 KOHLER Vitreous China Wall Tumbler Holder and Tumbler.



F-2062 KOHLER Nickel Plated Brass Wall Tumbler Holder. (Tumbler not included.)



F-2066 KOHLER Vitreous China Robe Hook.



F-2069

 K^{OHLER} Bath Room Scale with polished white finished column, cork mat and nickel plated brass trimmings.



F-2071

KOHLER Vitreous China Roll Toilet Paper Holder.



F-2072

KOHLER Nickel Plated Brass Toilet Paper Holder.



F-2075



F-2080

KOHLER Superior Cleanser for cleaning and purifying enameled plumbing ware, tiling, nickel, brass, china, porcelain, silver, etc. Will not injure any enamel finish.

Sold in cases of 24 one-half pound cans

When ordering specify number

Lavatory Fixtures


F-2126

KOHLER Nickel Plated Brass Combination Supply and Lift Waste Fixture with semi-quick acting compression valves and china handles and escutcheons.

Sizes

No. 1. For all lavatories less than 22 inches front to rear including corner lavatories, except "Derby," "Narobol" and "Midget" lavatories.

No. 2. For lavatories 22 inches front to rear and wider.



F-2126



F-2130

When ordering specify number and size

F-2130

KOHLER Nickel Plated Brass Combination Supply and Secret Waste Fixture with semi-quick acting compression valves and china handles and escutcheons.

Not designed for "Derby," "Cecil," "Narobol," "Moore," "Midget" and corner lavatories.

Can be furnished with spouts threaded for shampoo hose coupling. Valves have renewable seats.

Lavatory Faucets



F-2155

KOHLER Nickel Plated Brass Semi-quick Acting Compression Faucet with swivel disk and indexed china handle. Center of body to center of spout 3¾ inches.

F-2156

Same as F-2155 except without swivel disk. Center of body to center of spout $3\frac{1}{4}$ inches.



F-2157

KOHLER Nickel Plated Brass Semi-quick Acting Compression Faucet and handle with china index. Center of body to center of spout 3 inches.

Can be furnished with nickel plated brass four ball handle with china index or china four arm handle with index.



 $K^{OHLER}_{\text{Faucet with china handle and china index.}}$ Center of body to center of spout 35% inches.



F-2161

KOHLER Nickel Plated Brass Self-closing Faucet with ball bearing, and handle with china index. Center of body to center of spout $3\frac{1}{4}$ inches.

When ordering specify number

Lavatory Fittings

F-2165

KOHLER Nickel Plated Brass Quick Acting Compression Shampoo Mixing Faucet with indexed china handles, stuffing boxes, swing tube, rubber hose and rubber bound spray, and ½ inch iron pipe female threaded inlets.



F-2165

F-2167

KOHLER Nickel Plated Brass Quick Acting Compression Shampoo and Basin Mixing Faucet with indexed china handles, stuffing boxes, swing tube, rubber hose and rubber bound spray.



F-2167

F-2169

KOHLER Nickel Plated Brass Quick Acting Compression Shampoo Mixing Faucet with indexed china handles, stuffing boxes, swing tube, rubber hose and rubber bound spray.



F-2169

When ordering specify number

Lavatory Supply Pipes









F-2170

KOHLER Nickel Plated Brass Supply Pipes

Sizes 3/8 1/2 inch

F-2170 To wall

F-2175 To wall with compression stop

F-2190 To floor

F-2195 To floor with compression stop

Can be furnished with bulb air chambers. Stops can be furnished with indexed china four arm or nickel plated brass wheel handles. Supply pipes to floor for pedestal lavatories furnished with $2\frac{1}{4}$ inch offset.



F-2220

KOHLER Nickel Plated Brass Wrought Adjustable "P" Trap with inlet for slip joint connection

Sizes $1\frac{1}{4}$ $1\frac{1}{2}$ 2 inches

Can be furnished with cleanout, exposed or built in vent, and $1\frac{1}{2}$ and 2 inch sizes for 4 inch deep water seal.

F-2220

F-2240

KOHLER Nickel Plated Brass Wrought Adjustable "S" Trap and exposed vent with inlet for slip joint connection.

Sizes $1\frac{1}{4}$ $1\frac{1}{2}$ 2 inches

Can be furnished with cleanout, without vent, and $1 \frac{1}{2}$ and 2 inch sizes for 4 inch deep water seal.



F-2240



F-2242

KOHLER Nickel Plated Brass Cast Body Offset "P" Trap with inlet for slip joint connection

Sizes $1\frac{1}{4}$ $1\frac{1}{2}$ inches

F-2242

Nickel Plated Brass Fittings

F-2245

Secret Waste with china knob

Sizes 1½ 2 inches

 $F\text{-}2245\ 1\frac{1}{2}$ inch secret waste is designed for use with lavatories 16 to 19 inches wall to front (except corner lavatories) and 2 inch size for all other larger lavatories, including all corner lavatories.



Lift Waste with china knob for operating through slab.

Sizes

- No. 1. For all lavatories less than 22 inches front to rear including corner lavatories, except "Derby," "Narobol" and "Midget" lavatories.
- No. 2. For lavatories 22 inches front to rear and wider.



Lift Waste with china handle for operating through back. Can be furnished with china lever handle.



F-2245



F-2271



F-2280

Continuous Waste Pipe with slip joint connections Sizes 1½ 1½ 2 inches

Can furnish with from 2 to 8 branches. Always state number and distance center to center of branches, and for $1\frac{1}{2}$ and 2 inch sizes, also size of inlets desired. Can also furnish with center outlet. For traps see F-2220 to F-2242.



F-2261

F-2305

Lavatory Patent Overflow Plug with rubber stopper. F-2305 As described.



F-2311

Cock Hole Cover.



F-2314

Lavatory Chain Stay Bolt. Can be furnished for 1 inch hole.

Fountain Fittings



F-2315

KOHLER Combination China Non-squirting Stream Jet with nickel plated brass swing arm, loose key flow regulator and compression sink faucet.



F-2316

 $K^{OHLER} \ \ Combination \ \ China \ \ Non-squirting \\ Bubbler \ with \ nickel \ plated \ brass \ swing \ arm, \\ flow \ \ regulator \ \ and \ \ compression \ \ basin \ faucet.$

Water flows through above jet and bubbler when swung forward, and shuts off when turned to right hand side on F-2315 jet and to left hand side on F-2316 bubbler.



F-2317

 $K^{OHLER} \ {\it Combination China Non-squirting} \\ Stream \ {\it Jet with nickel plated brass arm,} \\ loose \ key \ flow \ regulator \ and \ compression \ valve. \\$



F-2318

KOHLER Combination China Non-squirting Stream Jet with nickel plated brass swing arm, loose key flow regulator and compression valve.

Can furnish any of above fittings with either china stream jets, china or nickel plated brass bubblers. F-2317 and F-2318 fittings can be furnished with push button or loose key valves. Special arms made to order. Couplings on F-2316 bubbler and F-2318 jet have $\frac{1}{4}$ inch iron pipe threads. Inlet on F-2315 and F-2317 jets have $\frac{1}{2}$ inch iron pipe female threads.

When ordering specify number of fitting and number and size of fixture for which fitting is intended

Fountain Fittings



F-2324

KOHLER China Non-squirting Stream Jet with nickel plated brass self-closing valve with china index, loose key flow regulator, adjustable for a continuous flow of water.

F-2324 For pan fountains.

F-2325 *For fountains with integral waste strainer.

*Cannot be used with 9 inch diameter fountains. Self-closing equipment for 9 inch fountains has F-2329 jet with self-closing valve in supply pipe under fountain bowl.



F-2326

KOHLER China Non-squirting Bubbler with ball bearing nickel plated brass self-closing valve, flow regulator and china handle. Adjustable for a continuous flow of water.

F-2326 For pan fountains.

F-2327 For fountains with integral waste strainer.



F-2328

KOHLER China Non-squirting Continuous Flow Stream Jet with nickel plated brass base and loose key flow regulator.

F-2328 For pan fountains.

F-2329 For fountains with integral waste strainer.



F-2330

 $K^{\rm OHLER\ China\ Non-squirt-}_{\rm ing\ Continuous\ Flow\ Bub-}_{\rm bler\ with\ nickel\ plated\ brass\ base}$ and flow\ regulator.

F-2330 For pan fountains.

F-2331 For fountains with integral waste strainer.

F-2326 and F-2330 fittings can also be furnished with nickel plated brass bubblers and loose key stops in body. Inlets on F-2324, F-2326, F-2328 and F-2330 fittings have $\frac{3}{8}$ inch iron pipe male threads and inlets on all others have $\frac{3}{8}$ inch iron pipe female threads.



F-2334 F-2335

KOHLER Galvanized Iron Combined 3/8 inch Supply and 11/2 inch Waste Pipes for pedestal drinking fountains.

Sizes 30 36 inches

F-2334 For fountains with enameled pedestal.

F-2335 For fountains with pipe standard.

Sink Faucets



F-2345

KOHLER Nickel Plated Brass Quick Acting Compression Mixing Faucet with indexed china handles, stuffing boxes, swing spout, adjustable flange, ½ inch iron pipe female threaded inlets, and china draining soap dish.

Can be furnished for F-2348 and F-2349 hose couplings, short stationary spout, ¾ inch iron pipe female threaded inlets, and without soap cup.

F-2045

F-2347

KOHLER Nickel Plated Brass Quick Acting Compression Mixing Faucet with indexed china handles, swing spout, solid flanges, ½ inch iron pipe female threaded inlets 8 inches center to center, and china draining soap dish.

Can be furnished for F-2348 and F-2349 hose couplings, short stationary spout, ¾ inch iron pipe female and ½ inch or ¾ inch male threaded inlets, and without soap cup.



F-2347



F-2348

KOHLER Nickel Plated Brass Hose Coupling with valve for F-2345 and F-2347 sink mixing faucets.

F-2349

 $K^{OHLER\,Nickel\,Plated\,Brass}_{\,\,\, Hose\,\,\, Coupling\,\,\, for\,\,\, F-2345}$ and F-2347 sink mixing faucets.

For hose, spray and hook see F-1915



When ordering specify number

F-2348

F-2349

Sink Faucets and Strainers

F-2351

KOHLER Nickel Plated Brass Quick Acting Compression Faucet with adjustable china handle, china index, solid flange and ½ inch iron pipe female threaded inlet.

Can be furnished with ½ or ¾ inch iron pipe male or female threaded inlet, adjustable flange, spouts threaded for hose, and to operate either right or left hand. Regularly furnished with cold and hot water faucets right and left hand respectively.



F-2351



F-2355

F-2355

KOHLER Nickel Plated Brass Semiquick Acting Compression Sink Faucet with four ball handle with china index, solid flange, and ¾ inch iron pipe female threaded inlet.

Can be furnished with ½ or ¾ inch iron pipe male or female threaded inlet, adjustable flange and spout threaded for hose.



F-2382

 $K^{OHLER\,Nickel\,Plated\,Brass\,Sink\,Strainers\,\,with\,\,1\frac{1}{2}\,\,inch\,\,tailpiece.\quad Can\,\,also\,\,be\,furnished\,\,with\,\,1\frac{1}{4}\,\,and\,\,1\frac{3}{8}\,\,inch\,\,tailpieces.}$

F-2382 Open Strainer.

F-2386 Patent Overflow Sink Strainer with rubber stopper.



F-2386

When ordering specify number

Sink Fittings and Accessories



F-2396

 $K^{OHLER\,Nickel\,Plated\,Brass}_{\,Sink\,\,\,Strainers\,\,\,with\,\,\,iron}_{\,coupling\,\,and\,\,collar\,\,for\,\,lead\,\,pipe}_{\,connection.}$

F-2396 Open strainer.

F-2398 With rubber stopper. For common overflow.

F-2401 Patent overflow sink strainer with rubber stopper.



F-2401



F-2402

 $K^{\rm OHLER}$ Nickel Plated Brass Sink Strainers with iron coupling threaded for $1\frac{1}{2}$ inch iron pipe. Can also be furnished for $1\frac{1}{4}$ and 2 inch iron pipe.

F-2402 Open strainer.

F-2404 With rubber stopper. For common overflow.

F-2406 Patent overflow sink strainer with rubber stopper.



F-2406



F-2418

F-2418

 $K^{\mathrm{OHLER}}_{\mathrm{enameled}}$ drain boards.

F-2418 For interchangeable drain boards.

For Drain Boards:

16x18	inch long	16x24	inch long
18x18	inch long	18x24	inch long
20x18	inch long	20x24	inch long
22x18	inch long	22x24	inch long

F-2419 For drain boards cast one piece with sink.


For Drain Boards:

20x18	inch long	22x19	inch long
20x20	inch long		inch long
	20x24	inch long	

Miscellaneous Fittings and Accessories

F-2424

 $K^{\mathrm{OHLER}}_{\mathrm{Laundry}}$ Nickel Plated Brass Compression Laundry Tray Faucet with $\frac{1}{2}$ inch male threaded inlet.



F-2425

F-2427

KOHLER Wood Wringer Holder for clamping on rims of two adjacent laundry trays.

Length over all 16 inches

F-2427 For flat rim laundry trays.

F-2429 For roll rim laundry trays.



F-2424

F-2425

 K^{OHLER} Wood Wringer Holder for clamping on side of one tray. Adjustable to all jour laundry trays.

Length over all 14 inches



F-2427



F-2451

F-2451

KOHLER Special White Closet Seat with nickel plated brass hinges. Can be furnished in golden oak, genuine and imitation mahogany.

Index

BATHS Pages 19-6		BATH FIXTURES AND FITTINGS (Continued)		
All Over Enameled Bath Tubs	s	Shampoo Hose, Spray and Couplings	194	
Apron	19-45, 60, 61	Showers	188, 189	
Building in	19-49, 60, 61	Wastes	193	
Non-apron	46-49			
Alcove	60, 61	BATH ROOM ACCESS	ORIES	
	65		OKIES	
Athearn	51-54	Pages 195-199		
Baroness		Cabinets	195	
Brevoort	64	Hand Rails	196, 197	
Bath Rooms	14-18	Mirrors	195	
Bath Tubs on Base	51-54	Robe Hook	198	
Bath Tubs on Legs	55-59	Scale	199	
Bath Tub on Wheels	50	Seat	199	
Built in Bath Tubs—				
Corner	23-27, 32-39, 47, 48	Shelves	196, 198	
Free Standing	19, 20	Soap Holders	197, 198	
	3, 29, 40-45, 49, 60, 61	Sponge Holder	197, 198	
Wall	21, 22, 30, 31, 46	Stool	197	
		Toilet Paper Holders	199	
Cardinal	46-49	Towel Racks	196	
Cascade	62, 63	Towel Basket	197	
Cataract	62, 63	Tumbler Holders	198	
Colonna	55-57		100	
Colonna Hospital	50	CI OCETC		
Corner Bath Tubs for building	g in—	CLOSETS		
Apron	23-27, 32-39	Pages 180-185		
Non-apron	47, 48	High Tanks	181	
Free Standing Bath Tubs for		High Tank Combinations	184	
Foot Baths	65	Low Tanks	180	
	50			
Hospital Bath Tub	19-29	Low Tank Combinations	182, 183	
Imperator		Seat	210	
Nautica	64	Seat Action Combinations	185	
Niagara	63			
Ninon	65	DRINKING FOUNTA	AINS	
One piece Bath Tubs—		Pages 118-125		
Corner	23-27, 32-39, 47, 48	_	104	
Free Standing	19, 20	Alcove	124	
	3, 29, 40-45, 49, 60, 61	Crystal	123	
Wall	21, 22, 30, 31, 46	Delavan	125	
		Fountain Fittings	203, 205, 206	
Receptors	62, 63	Geneva	124	
Recess Bath Tubs for building		Huron	122	
Apron	28, 29, 40-45, 60, 61	Montello	121	
Non-apron	49	Pedestal	118	
Rival	58, 59	Pipe Standard	119	
Sitz Baths	64			
	30-45	Tahoe	120	
Viceroy		Tulare	119	
Wall Bath Tubs for building		Wabash	118	
Apron	21, 22, 30, 31	Wall—		
Non-apron	46	With Back	122-125	
		Without Back	120, 121	
DAMY DIMMIDDO A	ND DIMMINICO	Yosemite	120	
BATH FIXTURES A	IND FITTINGS			
Pages 187-194		LAUNDRY TRAY	/S	
Combination Chamar and	Doth Cupple	Pages 171-179		
Combination Shower and		1 agcs 1/1-1/9		
Fixtures	187,188	Flat Rim	174-179	
Combination Supply and Wa	ste Fixtures 190-192	Laundry Tray Fittings	203, 204, 210	
Connected Waste and Overflo	ow 194	Roll Rim	171-173	
Double Bath Cock	193	Tray and Sink Combination	173	
Overflow and Waste Fittings		Wringer Holders	210	
Overnow and waste Pittings	174	"THISCI HOLDERS	210	

$Index-({\tt Continued})$

LAVATORIES		

LAVATORIES		LAVATORIES (Continued)			
Pages 66-109		Sanita	96		
Abury	84	Seville	99, 100		
Alco	85	Square Front—	99, 100		
Barber	97-105	Built in	76.70 100		
Batteries—			76-79, 103 72-74, 97, 98, 101, 102		
Built in	76, 79	With Back, on Hangers			
Free Standing, on Stand	106, 107	With Back, on Leg Standa	81-83, 105		
On Pedestal	74	Without Back, on Bracket			
With Back, on Leg Standard	80	Stanmore Stanmore			
With Back, on Hanger	86, 89, 90	Stammore	70, 71, 98, 104		
Beaufort	101, 102	CINIZ			
Belmore	68, 69, 97	SINKS			
Bevo	76-79, 103	Pages 127-	165		
Bijou	94	Apron—			
Bretton	86, 87, 105	Corner	136-144		
Built in	76-79, 103	Flat Back	127-135		
Burlington	106	Backs and End Pieces	165		
Cecil	86, 88	Drain Boards	162		
Chillon	95	Fittings and Accessories	203-205, 207-209		
Clare	90, 91	Flat Rim	163, 164		
Columbia	72-75, 98	Roll Rim—			
Corner	84, 92-94	Corner	152-161		
Dental	96	Flat Back	145-151		
Derby	82				
Detail, top and sectional views	108, 109	SLOP SIN	IKS		
Ellipse 66, 67, 70,	71, 97, 98, 104	Pages 166-2	169		
Emmet	80, 81, 105	Fittings	203, 204, 207-209		
Esmond	83	Flat Rim	167, 168		
Filmore	66, 67, 97	Roll Rim	• 166, 167		
Fittings	200-204	Trap Standards	169		
Gary	107		100		
Half Circle	86-91, 94	SUPERIOR CL	FANSER		
Kennedy	94	Page 199			
Kenneth	93	rage 199			
Leg Standard	76-78, 80	URINAI	C		
Midget	94		·-		
Moore	90, 91	Page 186			
Narobol	88, 89	****	****		
Osborne	92	WASH SI			
Pedestal	66-74, 96-102	Pages 110-1	.17		
Prison	95	Flat Back	110, 111		
Recess	85	Free Standing	112-117		

Kohler Telegraph Code

Cable Address Registered: "Erkohl"

DOMESTIC

Combinations of Kohler Code Words, not exceeding fifteen letters, will pass as three words. To derive the full benefit of the code, telegrams should be written in five-code-word combinations as much as possible.

FOREIGN

Code messages made up of dictionary words not forming intelligible phrases, or of artificial words susceptible of pronunciation, must not contain more than ten letters to the word and are counted as one word. Unpronounceable words appearing in code messages are counted at the rate of five letters, or fraction thereof, to the word.

Two or more dictionary words combined into one word of ten letters or less will pass as one word in a CABLEGRAM.

Code language or combinations of dictionary words are allowed only in REGULAR or FULL RATE CABLEGRAMS, but NOT in DEFERRED LETTER and WEEK-END CABLES.

To use the Kohler Code to the most economical as well as practical advantage, REGULAR CABLE-GRAMS only should be written in combinations of three code words as much as possible.

MONTHS

January	Jan.	May	May	September	Sep.
February	Feb.	June	Jun.	October	Oct.
March	Mar.	July	Jul.	November	Nov.
April	Apr.	August	Aug.	December	Dec.

Write dates as follows: Example—January 1st; Use code word for January—Jan.—to which affix code word for one—loc—or Janloc.

			N	UM:	BERS				
1/16	kub	3	lof	27	ter	51	vec	75	wal
3/32	kuf	4	loh	28	tes	52	ved	76	wam
1/8	kul	5	lol	29	tet	53	vef	77	war
3/16	kup	6	lom	30	tez	54	veh	78	was
· 1/4	kut	7	lor	31	toc	55	vel	79	wat
5/16	lab	8	los	32	tod	56	vem	80	waz
3/8	laf	9	lot -	33	tof	57	ver	81	wec-
$\frac{1}{2}$	lah	10	loz	34	toh	58	ves	82	wed
5/8	lal	11	tac	35	tol	59	vet	83	wef
$\frac{3}{4}$	lam	12	tad	36	tom	60	vez	84	wel
$\frac{7}{8}$	lar	13	taf -	37	tor	61	voc	85	wem
0	las	14	tah	38	tos	62	vod	86	wen
00	lat	15	tal	39	tot	63	vof	87	wep
01	lec	16	tam	40	toz	64	voh	88	wer
02	led	17	tar	41	vac	65	vol	89	wes
03	lef	18	tas	42	vad	66	vom	90	wet
04	leh	19	tat	43	vaf	67	vor	91	woc
05	lel	20	taz	44	vah	68	VOS	92	wod
06	lem	21	tec	45	val	69	vot	93	wof
07	ler	22	ted	46	vam	70	VOZ	94	woh
08	les	23	tef	47	var	71	wac	95	wol
09	let	24	teh	48	vas	72	wad	96	wom
1	loc	25	tel	49	vat	73	waf	97	wor
2	lod	26	tem	50	vaz	74	wah	98	WOS
								99	wot

Write numbers over 99 as follows: Example—7501—Use code word for 75—wal—to which affix code word for 01—lec—or wallec.

To write sizes requiring the specification of two dimensions, place the letter x between the two parts of the code word used. Example: 18x30"—18 tas, x, 30 tez, inches yem, or "tasxtezyem."

Kohler Telegraph Code—(Continued)

Words

Ead	Accept (ance)	Erm	C I E (Cost Insurance	The same	D 4
EAD		Енч	C. I. F. (Cost Insurance	ENA	Front
	Accident	F	Freight)	Enb	Full
Еан	Add	Еів	Cover (ing)	Ene	Fuller
Eak	Adjust (ment)	EID	Crate (ed) (ing)	Enf	Furnish (ed)
ЕАМ	Advance (d)	EIF	Cubic .	Eni	Gasket
EAN	Advise	EIG	Current	ENO	Goods
EAP	After	EIK	Customer	Ent	Gross
EAS	Allow (ed) (ance)	Еім	Damage (d)	Eny	Guarantee
EAW	Also	EIN	Date	Enz	Hand
EBA	Already	EIP	Days	Еов	Have
EBI	And	EIR	Dealer	Eoc	Head
EBL	Another	Eis	Definite	Eof	Heavy
Евм	Answer (ed)	Еіт	Delay	Eog	Hold
EBN	Approximate (ly)	ЕЈА	Delivered (Customers	Еон	House
EBR	Are	D	store)	Еок	Hurry
Евт	As	EJD	Delivery	Еом	If
ECA	At ·	EJE	Describe (d) (ption)	Eon	Immediate
ECE	Attention	Ејк	Direct	EOP	In
Еск	Back	EJL	Disconnect		
Есм	Balance	_		Eor	Inches
Eco	Ball	Ејм	Discount	Eos	Include (d)
		Ејо	Distribute (or)	Еот	Information
Ecr	Baltimore	Ејр	Do (does)	Eov	Inquiry
Ecu	Bar (ring)	EJS	Document	Eow	Install (ation)
Ecy	Bath	EJT	Dollars	Eoy	Instruction
Edi	Best	Eju	Double	EPA	Insurance
Edk	Bill	Ека	Drill (ed) (ing)	EPE	Intelligent (ible)
Edl	Bill of Lading	EKD	Drinking fountains	Epf	Invoice
E_{DM}	Boat	EKI	Due	Ерн	Iron •
EDO	Boston	EKL	Duplicate	EPI	Is
EDP	Bowls	EKN	Each	EPL	Ivory
EDR	Box (ed) (ing)	Еко	Earlier	ЕРО	Kilograms
EDT	Branch	EKS	Enamel (ed)	EPS	Kohler
EDU	Brass	EKU	Enclose (ure)	EPU	Last
EFA	Bulk	Еку	End	EPY	Lavatories
EFE	Burn (ed)	Elb	Enter	Erb	Left
EFI	By	ELD	Equalized	ERD	Less
EFL	Call	ELE	Equal	ERF	Letter
EFN	Can	ELF	Equip (ped)	ERG	Lift
EFO	Car	ELG	Examine (ation)	ERI	Line
EFT	Cash	ELI			
EFU	C. O. D.		Except Exhaust (ad)	Erk	Light
EFY	Centimeters	Elk	Exhaust (ed)	ERM	Load
EGE		ELM	Express	Ern	Locate
	Cents	ELN	Exterior	ERO	London
EGI	Change	ELO	Factory	ERS	Lot
	Charge	ELS		ERT	Low
Egs	Closet	ELU	Feet	Eru	Lowest
Egu	Cock	ELY	F—(= F dash)	Ery	Machine
Egy	Coil	Емв	Finish	ESA	Made
Ена	Combination	EMD	Fitted	ESE	Make
Ені	Complete	EMF	Fitting (s)	Esh	Mail
Енм	Compression	Емі	Fixture	Esi	Main
EHN	Concealed	Емк	Follow	Esm	Man
Ено	Connect (ed)	Емо	For	Eso	Material
EHR	Contract	Емр	Foundation	ESP	Matter
EHS	Copper	EMR	F. O. B.	Est	Measurements
	* *	Емт	Freight	Esu	Minimum
EHU	Copy		From		Mixed
EHW	Corner	Емч	FIOIII	ETE	MIXEU

Kohler Telegraph Code—(Continued)

Words

Етн	Mobile	Eza	Rate	Fмв	System
Еті		EZA	Rear	FMF	Tank (s)
	Month (ly)		* 1	FMG	Tapped
ETM	Must	Ezi	Receipt (1)		* *
Ето	Net	Ezl	Receive (d)	FMK	Tariff
ETS	New	Ezm	Recess	Fмо	Telegram (Telegraph)
ETU	New Orleans	Ezo	Record	FMP	Terms
ETV-	New York .	Ezp	Refer (ring) (red)	FMS	Territory
EUA	Next	Ezt	Regular	FOA	Test
Eub	Nickel	Ezu	Repair (s)	Foc	This
Eud	No	FAC	Replace (ment) (ing)	FOD	Threaded
EUF	Not	Faf	Request	Fog	Through
Eug	Number	Fah	Right	Fон	Time (ing)
EUJ	Ocean	Fak	Rim	FoJ	To
Euk	Of	FAM	Ring	Fok	Today
EUP	On	Fas	Rod	FOL	Too
Eur	Once	FAU	Rout (ing)	Fom	Tools
Eus	Only	FAW	Rush	Fop	Tomorrow
Eut	Operate (ion) (ing)	FAY	San Francisco	For	Тор
Euz	Or	FEC	Satisfaction	Fos	Trace (ing)
EVE	Order	FEF	Screw	Fou	Tub (s)
Evi	Our	FEG	Secret	Fow	Tubing
EVL	Outlet	FEK .		Foz	Unit
EVN	Over	FEL	Send	FRA	Urinals
Evo	Overflow	FEM	Serial	FRB	Us
Evr	Packed	FEN	Service	FRD	Usual
Evs	Part *	FER	Shall	FRF	Valve
Evu	Patent	FES	Sheboygan	FRI	Via
EWA	Pattern	FEY		FRM	Wait
EWB	Pav	FIA	Ship (ped) (ing) (ment)	FRN	Wall
			Short	FRS	War tax
Ewd	Per	FID	Show (ing)	FRU	Ware
Ewg	Philadelphia	FIE	Side		
Ewi	Pin	FIF	Sinks	FRY	Waste
Ewk	Pipe	FIJ	Size	Fub	Water
EWL	Piston	FIL	Slab	Fur	We
Ewm		FIM	Small	Fuj	Week
Ewo	Plated	Fio	Soon	FUL	Weight (weigh)
EWP	Plug	Fis	Special	Fum	When
Ews	Poppet	Fiv	Specifications	FUP	White
Ewy	Possible	FLD	Specify (ied)	FUR	Will
Eya	Pounds	FLE	Start (er) (ing)	Fus	Wire
EYD	Present	FLI	State (d)	Fut	With
Eyf	Prevail	Flk	Stock	Fuz	Withdraw
EYI	Price (s)	FLN	Stop	FZA	Within
Еүк	Primage	Flo	Store (age)	Fzb	Work
EYL	Promise	FLP	Substitute (tion)	Fzg	Yesterday
EYN	Prompt (ly)	FLS	Suggest (tion)	Fzi	You
EYR	Push	FLT	Supply	Fzl	Your
Eys	Quote (d) (ation)	FLV	Switch	Fzm	Zinc



